Journal of Applied Polymer Science

Author Index to Volume 98

Abad, M. J. See Montoya, M., 1271
Abboud, M.
—; Denifl, P.; Reichert, K.-H.: Study of the Morphology and Kinetics of Novel Ziegler–Natta Catalysts for Propylene Polymerization, 2191
Abdekhodaie, M. J. See Dabagh, M., 758
Abdelkader, A. F.
—; White, J. R.: Water Absorption in Epoxy Resins: The Effects of the Crosslinking Agent and Curing Temperature, 2544
Abdellaoui, N.
—; Djadoun, S.: Miscibility and Complexation Behavior in Poly(ethyl methacrylate)/Poly(styrene-*co*-methacrylic acid), Poly[2-(*N*,*N*-dimethylaminio) ethyl methacrylate]/Poly(styrene-*co*-methacrylic acid), and Poly/Poly(styrene-*co*-methacrylic acid) Systems, 658
Abd El-Mohdy, H. L. See Abd El-Rehim, H. A., 1262
Abd Elmongy, S. See Seoudi, R., 936
Abdelmouleh, M.
—; Boufi, S.; Belgacem, M. N.; Dufresne, A.; Gandini, A.: Modification of Cellulose Fibers with Functionalized Silanes: Effect of the Fiber Treatment on the Mechanical Performances of Cellulose–Thermoset Composites, 974
Abd El-Rehim, H. A.
—; Hegazy, E. A.; Abd El-Mohdy, H. L.: Properties of Polyacrylamide-Based Hydrogels Prepared by Electron Beam Irradiation for Possible Use as Bioactive Controlled Delivery Matrices, 1262
Abe, A. See Sawada, H., 169
Abidi, N.
—; Hequet, E.: Cotton Fabric Graft Copolymerization Using Microwave Plasma. II. Physical Properties, 896
Abu Bakar, A. See Chow, W. S., 780
Abu-Sharkh, B. F. See Umar, Y., 1404
Acemioğlu, B. See Samil, A., 2450
Acha, B. A.
—; Marcovich, N. E.; Reboredo, M. M.: Physical and Mechanical Characterization of Jute Fabric Composites, 639
Acosta, N. See Peniche, H., 651
Adam, G. See Pompe, G., 1317
Agrawal, S. L. See Chakraborty, S., 1492
Ahmad, Z. See Al-Kandary, S., 2521
Aiad, I.
—; Effect of Some Water-Soluble Melamine Formaldehyde-Free Polycondensates on the Rheological Properties of Cement Pastes, 2212
Aigbodion, A. I. See Akinlabi, A. K., 1733
Akar, A. See ızılcan, N., 97
Akinlabi, A. K.
—; Okieimen, F. E.; Aigbodion, A. I.: Thermal Aging Properties and Chemical Resistance of Blends of Natural Rubber and Epoxidized Low Molecular Weight Natural Rubber, 1733
Albertsson, A.-C. See Hedenqvist, M. S., 838; Strandberg, C., 2427
Ali, A. A. M. See Al-Kandary, S., 2521
Ali, S. A. See Umar, Y., 1404
Ali, S. W.
—; Zaidi, S. A. R.: Synthesis of Copolymeric Acrylamide/Potassium Acrylate Hydrogels Blended with Poly(vinyl alcohol): Effect of Crosslinking and the Amount of Poly(vinyl alcohol) on Swelling Behavior, 1927
Alince, B.
—; Deposition of Clean and Contaminated Latex Particles on Pulp Fibers, 1879
Al-Kandary, S.
—; Ali, A. A. M.; Ahmad, Z.: Morphology and Thermo-Mechanical Properties of Compatibilized Polyimide-Silica Nanocomposites, 2521
Al-Khanbashi, A.
—; El-Gamal, M.; Moet, A.: Reduced Shrinkage Polyester–Montmorillonite Nanocomposite, 767
Alma, M. H. See Samil, A., 2450
Aly, K. I.
—; Monem, M. I. A.: New Polymer Synthesis. XXX. Synthesis and Thermal Behavior of New Organometallic Polyketones and Copolyketones Based on Diferrocenylidenecycloheptanone, 2394
Ameta, R. See Chakraborty, S., 1492
Aminabhavi, T. M. See Kurkuri, M. D., 178; Raghu, A. V., 2236
Angulakshmi, N. See Sivakkumar, S. R., 917
Anwaruddin, Q. See Pazhanisamy, P., 1100
Ao, N.-J. See Chen, M., 591
Aoi, K. See Yokoe, M., 1679
Aralaguppi, M. I. See Kurkuri, M. D., 178
Aravinthan, G.
—; Kale, D. D.: Blends of Poly(ethylene terephthalate) and Poly(butylene terephthalate), 75
Arayapranee, W.
—; Na-Ranong, N.; Rempel, G. L.: Application of Rice Husk Ash as Fillers in the Natural Rubber Industry, 34
Ariff, M. See Pazhanisamy, P., 1100
Ariffin, A. See Leong, Y. W., 413
Arndt, K.-F. See Theiss, D., 2253
Arrighi, V. See Princi, E., 1157
Avila-Orta, C. A. See Larin, B., 1113
Ay, A. N. See Öztürk, Ö. F., 490

Bae, J. W. See Hong, C. H., 427
Bae, Y. C. See Choi, Y. S., 2314
Baer, E. See Hu, Y. S., 1629; Liu, R. Y. F., 1615; Yu, J., 1799
Bahattab, M. A.
—; Preparation of Poly(vinyl acetate) Latex with Ultrasonic and Redox Initiation, 812
Bajpai, A. K.
—; Vishwakarma, N.: An Adsorption Study of Gelatin onto the Fuller's Earth Surfaces, 42
Bajpai, M. See Mishra, A., 1186
Bakar, M. B. A. See Leong, Y. W., 413
Bambole, V. A. See Bhat, N. V., 276
Bandyopadhyay, S. See Chakraborty, S., 1492

Baouz, T.
—; Fellahi, S.: Interfacial Modification of High Density Polyethylene/ Glass Fiber Reinforced and Non Reinforced Polyamide 66 Blends, 1748
Baranak, M. See Yılmaz, O., 1032
Barck, K.
—; Butler, M. F.: Comparison of Morphology and Properties of Polyelectrolyte Complex Particles Formed from Chitosan and Polyanionic Biopolymers, 1581
Barral Losada, L. See Montoya, M., 1271
Barron, V. See Thielemans, W., 1325
Basaez, L. See Rivas, B. L., 1192
Basara, C.
—; Yilmazer, U.; Bayram, G.: Synthesis and Characterization of Epoxy Based Nanocomposites, 1081
Bassett, I. M. See Pujari, N. S., 58
Basu, S. K.
—; Scriven, L. E.; Francis, L. F.; McCormick, A. V.; Reichert, V. R.: Wrinkling of Epoxy Powder Coatings, 116
Bayram, G. See Basara, C., 1081
Belal, A. E.
—; Hamza, A. A.; Sokkar, T. Z. N.; El-Bakary, M. A.; Yassien, K. M.: Effect of Temperature on the Dispersion Properties of Polypropylene Fibers, 1135
Belfer, S.
—; Bottino, A.; Capannelli, G.: Preparation and Characterization of Layered Membranes Constructed by Sequential Redox-Initiated Grafting onto Polyacrylonitrile Ultrafiltration Membranes, 509
Belgacem, M. N. See Abdelmouleh, M., 974
Bendak, A. See Raslan, W. M., 1829
Bennour, S.
—; Metref, F.; Djadoun, S.: Hydrogen-Bonding Interactions Between Poly(styrene-*co*-methacrylic acid) and Poly(styrene-*co*-4-vinylpyridine), 806
Berglund, C. See Rego, J. M., 1062
Bergman, G. See Hedenqvist, M. S., 838
Bernal, C. See Montoya, M., 1271
Berry, B. C. See Bourdo, S. E., 29
Bhat, G. S. See Nanjundappa, R., 2355
Bhat, N. V.
—; Nate, M. M.; Bambole, V. A.; Kurup, M. B.: Structural Properties of Sodium Ion Implanted Poly(vinyl alcohol) Films, 276
Bhattacharya, A. K. See Siddaramaiah, 1947
Bhuyan, P. K.
—; Kakati, D. K.: Effect of the Reaction Conditions on the Photopolymerization of Methyl Methacrylate by Diethyl Dithiocarbamato-(1,2)-propane Diol, 2320
Bie, H. See Feng, L., 434
Bieniek, R. F. See Moslehe, S., 2373
Bimendina, L. A. See Kudaibergenov, S. E., 2101
Blau, W. J. See Thielemans, W., 1325
Bodek, K. H.
—; Kufelnicki, A.: Interaction of Microcrystalline Chitosan with Ni(II) and Mn(II) Ions in Aqueous Solution, 2572
Bonini, C.
—; D'Auria, M.; Emanuele, L.; Ferri, R.; Pucciariello, R.; Sabia, A. R.: Polyurethanes and Polyesters from Lignin, 1451
Bosch, P. See Mateo, J. L., 163
Bose, N. R. See Ray, D., 557
Bottino, A. See Belfer, S., 509
Boufi, S. See Abdelmouleh, M., 974
Bouquey, M. See Serra, C., 1978
Bourdo, S. E.
—; Berry, B. C.; Viswanathan, T.: Catalytic Effects of Selected Transition Metal Ions in the Synthesis of Lignosulfonic Acid Doped Polyaniline, 29
Bousmina, M. See Reyna-Valencia, A., 2380
Briceño, K. See Carrasco, F., 1524
Brook, M. A. See Liang, L., 1477
Brovelli, F. See Rivas, B. L., 1192
Brown, G. M.
—; Ellyin, F.: Assessing the Predictive Capability of Two-Phase Models for the Mechanical Behavior of Alumina/Epoxy Nanocomposites, 869
Brown, M. B. See Jones, S. A., 2290
Bruce, D. A. See Daly, P. A., 66
Bubeck, R. A.
—; Thomas, L. S.; Rendon, S.; Burghardt, W. R.; Hexemer, A.; Fischer, D. A.: Characterization of the Skin Orientation of Thermotropic Liquid-Crystalline Copolyester Moldings with Near-Edge X-Ray Absorption Fine Structure, 2473
Buchholz, F. L.
—; Pesce, S. R.; Powell, C. L.: Deswelling Stresses and Reduced Swelling of Superabsorbent Polymer in Composites of Fiber and Superabsorbent Polymers, 2493
Burghardt, W. R. See Bubeck, R. A., 2473
Busse, K. See Mahmood, N., 1280
Butler, M. F. See Barck, K., 1581

Calvo, M. See Mateo, J. L., 163
Cankurtaran, O. See Sakar, D., 2365
Cao, J.-W. See Yuan, C.-D., 1505
Cao, S. See Wang, Y., 1643
Cao, T.-Y. See Yuan, C.-D., 1505
Cao, Y.
—; Li, H.: Effect of Temperature and pH Values on Aggregation Behavior of Polymeric Surfactants in Aqueous Solution, 945
Capannelli, G. See Belfer, S., 509
Carrasco, F.
—; Pagès, P.; Lacorte, T.; Briceño, K.: Fourier Transform IR and Differential Scanning Calorimetry Study of Curing of Trifunctional Amino-Epoxy Resin, 1524
Cartier, N. See Despond, S., 704
Castro-Díaz, C. See Fraga, F., 2003
Cha, S. W.
—; Yoon, J. D.: Label Behavior Property Attached on Microcellular Foamed Parts, 289
Chakraborty, S.
—; Mandot, S. K.; Agrawal, S. L.; Ameta, R.; Bandyopadhyay, S.; Das Gupta, S.; Mukhopadhyay, R.; Deuri, A. S.: Study of Metal Poisoning in Natural Rubber–Based Tire-Tread Compound, 1492
Chandrashekhara, K. See Shabeer, A., 1772
Chang, C.-C. See Wei, M.-H., 1224
Chang, J.-H.
—; Mun, M. K.; Lee, I. C.: Poly(ethylene terephthalate) Nanocomposite Fibers by In Situ Polymerization: The Thermomechanical Properties and Morphology, 2009
Chauhan, G. S.
—; Singh, B.; Kumar, S.: Synthesis and Characterization of *N*-Vinyl Pyrrolidone and Cellulosics Based Functional Graft Copolymers for Use as Metal Ions and Iodine Sorbents, 373

Chauhan, R.
—; Choudhary, V.: Copolymerization of *N*-(4-Carboxyphenyl) Itaconimide or *N*-(4-Carboxyphenyl) Itaconamic Acid with Methyl Methacrylate, 1909
Chavan, R. B. See Das, D., 484
Chen, B. See Liang, H., 912
Chen, C. See Jiang, G., 1106
—; Yu, P. H. F.; Cheung, M. K.: Hydrogen Bonding, Miscibility, Crystallization, and Thermal Stability in Blends of Biodegradable Polyhydroxyalkanoates and Polar Small Molecules of 4-*tert*-Butylphenol, 736
Chen, C.-C. See Chen, H.-E., 2555; Wang, C.-C., 391
Chen, D. See Hua, J., 1215; Tang, W., 2139
Chen, F. See Xie, T., 1961
Chen, G.-X.
—; Kim, E.-S.; Yoon, J.-S.: Poly(butylene succinate)/Twice Functionalized Organoclay Nanocomposites: Preparation, Characterization, and Properties, 1727
Chen, H.-E.
—; Chen, J.-C.; Yao, W.-H.; Tsou, C.-H.; Chen, C.-C.: Crosslinking Structures and Dyeing Kinetics of Cotton Cellulose Treated with a Steeped Process, 2555
Chen, J.-C. See Chen, H.-E., 2555
Chen, J. S. See Yang, C.-Y., 2064
Chen, K.-M. See Wang, H.-J., 711
Chen, L.-P.
—; Wu, H.-H.; Hsu, K.-C.: Synthesis and Application of an Anionic Water-Soluble Copolymer as a Dispersant for Barium Titanate Slurries, 109
Chen, L.-T. See Hsiao, K.-J., 550
Chen, M. See Xi, D., 1457
—; Ao, N.-J.; Zhang, B.-L.; Den, C.-M.; Qian, H.-L.; Zhou, H.-L.: Comparison and Evaluation of the Thermooxidative Stability of Medical Natural Rubber Latex Products Prepared with a Sulfur Vulcanization System and a Peroxide Vulcanization System, 591
Chen, S.
—; Liu, M.; Jin, S.; Chen, Y.: Synthesis and Swelling Properties of pH-Sensitive Hydrogels Based on Chitosan and Poly(methacrylic Acid) Semi-interpenetrating Polymer Network, 1720
Chen, S.-C.
—; Chien, R.-D.; Lee, P.-H.; Huang, J.-S.: Effects of Molding Conditions on the Electromagnetic Interference Performance of Conductive ABS Parts, 1072
—; Chien, R. D.; Tseng, H.-H.; Huang, J.-S.: Response of a Sequential-Valve-Gate System Used for Thin-Wall Injection Molding, 1969
Chen, S. G. See Hu, J. W., 1517
Chen, T. See Jiang, G., 1106
Chen, W. See Jiang, T., 1296
Chen, W.-C. See Wei, M.-H., 1224
Chen, X. See Sun, Y., 474; Tang, Z., 102
Chen, Y. See Chen, S., 1720; Peng, M., 1358; Qi, Y., 1500
Chen, Y.-C. See Lee, W.-F., 1572
Chen, Y.-J. See Ma, C.-C. M., 2266
Chen, Z. See Feng, L., 434
Cheng, G. S. See Hu, J. W., 1517
Cheng, H. See Yang, J., 1087
Cheng, S. See Peng, H., 2123
Cheong, I. W. See Subramani, S., 620
Cherukupalli, S. S.
—; Gottlieb, S. E.; Ogale, A. A.: Real-Time Raman Spectroscopic Measurement of Crystallization Kinetics and Its Effect on the Morphology and Properties of Polyolefin Blown Films, 1740
Cheung, M. K. See Chen, C., 736
Chi, Z.
—; Yao, X.; Zhang, Y.; Xu, J.: Thermal Decomposition Kinetics of Thermotropic Liquid Crystalline Polyesterimides, 2467
Chien, R. D. See Chen, S.-C., 1072, 1969
Chierice, G. O. See Malmonge, J. A., 746
Chionna, D. See Pracella, M., 2201
Chiou, B.-S.
—; Lankford, A. R.; Mera, A. E.; Zabetakis, D.; Schoen, P. E.: Matrix Effects on Tubule Distribution and Dielectrics Properties of Tubule-Based Dielectrics, 53
Chiriac, A. P.
—; Polymerization in a Magnetic Field. XV Some Azo-Initiators Behavior in a High Magnetic Field, 1025
Chiu, H.-T.
—; Wu, J.-H.: The Effect of Swelling Agents and Characterization of Polyurethane/Polymer Electrolytes/Clay Composites, 1206
Chiu, S. W. See Huang, C. K., 1865
Chiu, W.-Y. See Lin, K.-F., 2042
Cho, B.-H. See Choi, D., 1688
Cho, S. M. See Yang, J. S., 2080
Choi, C.-H.
—; White, J. L.: Structural Changes in the Melt Spinning, Cold Drawing, and Annealing of Poly(4-methylpentene-1) Fibers, 130
Choi, D.
—; Kader, M. A.; Cho, B.-H.; Huh, Y.-i.; Nah, C.: Vulcanization Kinetics of Nitrile Rubber/Layered Clay Nanocomposites, 1688
Choi, S.-S.
—; Hwang, K.-J.; Kim, B.-T.: Influence of Bound Polymer on Cure Characteristics of Natural Rubber Compounds Reinforced with Different Types of Carbon Blacks, 2282
Choi, Y. S.
—; Bae, Y. C.; Sun, Y. K.: Phase Behaviors of Polymer Blend(PEO–PPO) Electrolyte/ $LiCF_3SO_3$ Systems in Lithium Battery, 2314
Chou, C.-C. See Yang, T.-C., 564
Chou, S.-S. See Yang, T.-C., 564
Chou, Y.-C.
—; Lin, C. B.; Yeh, H.-Y.: Preparation and Properties of Poly(methyl Methacrylate)/Iron $Carbonate_{(p)}$ Nanocomposites, 2329
Choudhary, V. See Chauhan, R., 1909
Chow, W. S.
—; Abu Bakar, A.; Ishak, Z. A. M.: Water Absorption and Hygrothermal Aging Study on Organomontmorillonite Reinforced Polyamide 6/Polypropylene Nanocomposites, 780
Chu, M.-S. See Wu, T.-M., 2058
Chuan-Xiang, X. See Jiu-Rong, C., 2369
Cidade, M. T. See Filipe, S., 694
Cirpan, A. See Kıralp, S., 521
Cloutier, A. See Xing, C., 2027
Cohen, R. E. See Poliskie, G. M., 1806
Collard, D. M. See Liu, R. Y. F., 1615
Compos, D.
—; Delaite, C.; Hurtrez, G.; Dumas, P.: Improvement in Alkoxide Anionic Initiation Technique by Using a Colorimetric Titration, 1339

Costa, M. A. S. See Coutinho, F. M. B., 2539
Coutinho, F. M. B.
—; Rocha, T. C. J.; Mello, I. L.; Nunes, D. S. S.; Soares, B. G.; Costa, M. A. S.: Effect of Electron Donors on 1,3-Butadiene Polymerization by a Ziegler–Natta Catalyst Based on Neodymium, 2539
Cui, X.
—; Li, W.; Yan, D.; Yuan, C.; Di Silvestro, G.: Synthesis and Characterization of Polyamides X 18, 1565

Dabagh, M.
—; Abdekhodaie, M. J.; Khorasani, M. T.: Effects of Polydimethylsiloxane Grafting on the Calcification, Physical Properties, and Biocompatibility of Polyurethane in a Heart Valve, 758
Daly, P. A.
—; Bruce, D. A.; Melik, D. H.; Harrison, G. M.: Thermal Degradation Kinetics of Poly(3-hydroxybutyrate-*co*-3-hydroxyhexanoate), 66
Das, D.
—; Datta, M.; Chavan, R. B.; Datta, S. K.: Coating of Jute with Natural Rubber, 484
Das Gupta, S. See Chakraborty, S., 1492
Datta, M. See Das, D., 484
Datta, S.
—; Naskar, K.; Jelenic, J.; Noordermeer, J. W. M.: Dynamically Vulcanized PP/EPDM Blends by Multifunctional Peroxides: Characterization with Various Analytical Techniques, 1393
Datta, S. K. See Das, D., 484
D'Auria, M. See Bonini, C., 1451
de la Campa, A. See Peniche, H., 651
Delaite, C. See Compos, D., 1339
Den, C.-M. See Chen, M., 591
Deng, J. See Xing, C., 2027
Deng, L.
—; Li, A.; Yao, C.; Sun, D.; Dong, A.: Methoxy Poly(ethylene glycol)-*b*-Poly(L-lactic acid) Copolymer Nanoparticles as Delivery Vehicles for Paclitaxel, 2116
Denifl, P. See Abboud, M., 2191
Despond, S.
—; Espuche, E.; Cartier, N.; Domard, A.: Barrier Properties of Paper–Chitosan and Paper–Chitosan–Carnauba Wax Films, 704
Deuri, A. S. See Chakraborty, S., 1492
Devillers, M. See Kudaibergenov, S. E., 2101
Dickson, J. M. See Liang, L., 1477
Didukh, A. G. See Kudaibergenov, S. E., 2101
Ding, L.
—; Wang, G. Y.; Hu, C. P.; Wu, S. S.: Preparation and Characterization of Polysiloxane-Modified Epoxy Resin Aqueous Dispersions and Their Films, 880
Ding, T. See Liu, Q., 2033
Di Silvestro, G., 1565, Cui, X.
Djadoun, S. See Abdellaoui, N., 658; Bennour, S., 806
Domard, A. See Despond, S., 704
Dong, A. See Deng, L., 2116
Dong, J.-P.
—; Lee, J.-H.; Lai, D.-H.; Huang, Y.-J.: Effects of Reactive Low-Profile Additives on the Properties of Cured Unsaturated Polyester Resins. I. Volume Shrinkage and Internal Pigmentability, 264
Dorschner, H. See Theiss, D., 2253
dos Santos, M. A. See Malmonge, J. A., 746
Du, H. See Jiang, T., 1296
Duarte, A. See Filipe, S., 694
Dufresne, A. See Abdelmouleh, M., 974
Dumas, P. See Compos, D., 1339

Eichhorn, K.-J. See Pompe, G., 1317
El-Achari, A. See Saäihi, D., 997
El-Bakary, M. A. See Belal, A. E., 1135
El-Gamal, M. See Al-Khanbashi, A., 767
Ellyin, F. See Brown, G. M., 869
El-Tantawy, F.
—; The Interrelation among Network Structures, Molecular Transport of Solvent, and Creep Behaviors of TiB_2 Ceramic Containing Butyl Rubber Composites, 2226
Emanuele, L. See Bonini, C., 1451
Endo, T. See Yamashita, Y., 466
Erciyes, A. T. See Yılmaz, O., 1032
Eroğlu, M. See Öksüz, M., 1445
Erra, P. See Vílchez, S., 1938
Eshita, Y. See Onishi, Y., 9
Espuche, E. See Despond, S., 704
Evrensel, C. See Fuchs, A., 2402

Fan, Z. See Peng, H., 2123
Fan, Z.-Q. See Fu, Z.-S., 195; Xu, J.-T., 208; Xu, J.-T., 243; Xu, J.-T., 632
Fang, Y.-E. See Zhang, W.-A., 2532
Feke, D. L. See Warley, R. L., 1001
Fellahi, S. See Baouz, T., 1748
Feng, L.
—; Bie, H.; Chen, Z.: Synthesis and Characterization of Photoluminescent Copolymer Containing 1,1′-Binaphthyl and Fluorene Rings, 434
Fernandes, F. A. N.
—; Selection of a Mixture of Initiators for Batch Polymerization Using Neural Networks, 2088
Fernández-Torres, A. See González, L., 1219
Ferri, R. See Bonini, C., 1451
Filipe, S.
—; Maia, J. M.; Duarte, A.; Leal, C. R.; Cidade, M. T.: Influence of Type of Compatibilizer on the Rheological and Mechanical Behavior of LCP/TP Blends under Different Stationary and Nonstationary Shear Conditions, 694
Fischer, D. A. See Bubeck, R. A., 2473
Flanigan, V. See Shabeer, A., 1772
Fraga, F.
—; Castro-Díaz, C.; Rodríguez-Núñez, E.; Martínez-Ageitos, J. M.: Kinetics of the Enthalpy Relaxation Process for an Epoxy Network as Determined with a Peak Shift Model, 2003
Francis, L. F. See Basu, S. K., 116
Fu, A. Y. G. See Liu, J.-H., 88
Fu, Y. X. See Hu, K. Y., 494
Fu, Z.-S. See Xu, J.-T., 243; Xu, J.-T., 632
—; Xu, J.-T.; Jiang, G.-X.; Zhang, Y.-Z.; Fan, Z.-Q.: Influence of the Reaction Conditions on the Solid-State Graft Copolymerization of Methyl Methacrylate and Polyethylene/Polypropylene In Situ Alloys, 195
Fuchs, A.
—; Hu, B.; Gordaninejad, F.; Evrensel, C.: Synthesis and Characterization of Magnetorheological Polyimide Gels, 2402
Fukushima, K. See Matsushita, Y., 2508

Gadaginamath, G. S. See Raghu, A. V., 2236
Galeski, A. See Pracella, M., 2201
Gandini, A. See Abdelmouleh, M., 974
Gangadharan, R. See Subramania, A., 1891

Gao, C. See Liu, G., 1932; Zhou, Q., 1373
—; Li, S.; Song, H.; Xie, L.: Radiation-Induced Crosslinking of Ultra High Molecular Weight Polyethylene Fibers by Means of Electron Beams, 1761
Gao, N.
—; Li, J.; Li, S.; Peng, Z.: The Dynamic Mechanical Properties of EPDM/A1$(OH)_3$ Composites, 2454
Garg, A. See Shabeer, A., 1772
Gatenholm, P. See Vander Wielen, L. C., 2219
Gatewood, B. M. See Park, J. H., 322
Gawdzik, B.
—; Kovtun, O.: Synthesis of Glycidyl Amine Adducts and Their Copolymerization with Glycidyl Methacrylate, 2461
Gawish, S. M. See Moslehe, S., 2373
Ge, X.-W. See He, X.-D., 860
Geißler, U. See Pompe, G., 1308
Geng, J.-S. See Xu, J.-T., 632
Gerasimov, T. G. See Liu, Y., 1300
Gerberich, W. W. See Karapanagiotis, I., 138
German, A. L. See Singha, N. K., 1418
Ghaemy, M.
—; Omrani, A.; Rostami, A. A.: Kinetic and Thermodynamic Studies of the Isothermal Curing Reaction of the Diglycidyl Ether of Bisphenol A/Ni(II) Chelate System, 1540
Ghaffarian, S. R. See Jannesari, A., 1594
Gleason, K. K. See Poliskie, G. M., 1806
Gök, A.
—; Sari, B.; Talu, M.: Polymers, Composites, and Characterization of Conducting Polyfuran and Poly(2-bromoaniline), 2048, 2440
Gong, C. See Guan, R., 1244
Gong, Y. See Li, J., 1016; Zhou, Q., 1373
González, L.
—; Valentín, J. L.; Fernández-Torres, A.; Rodríguez, A.; Marcos-Fernández, A.: Effect of the Network Topology on the Tensile Strength of Natural Rubber Vulcanizate at Elevated Temperature, 1219
Gopalakrishnan, S. See Mythili, C. V., 284
Gopalan, A. See Vivekanandam, T. S., 1548
Gordaninejad, F. See Fuchs, A., 2402
Goto, M. See Kanekura, K., 1955
Gottlieb, S. E. See Cherukupalli, S. S., 1740
Goyanes, S. N.
—; Saavedra, F.; Roncaglia, A. J.; Rubiolo, G. H.: Variation in Physical and Mechanical Properties with Coating Thickness in Epoxy–Diamine–Aluminum System, 891
Gregor-Svetec, D.
—; Sluga, F.: High Modulus Polypropylene Fibers. I. Mechanical Properties, 1
Gu, W. See Peng, M., 1358
Guan, R.
—; Gong, C.; Lu, D.; Zou, H.; Lu, W.: Development and Characterization of Homogeneous Membranes Prepared from Sulfonated Poly(phenylene oxide), 1244
Guerreiro, A. See Schneider, F., 362
Guerrero-Salazar, C. See Reyes-Melo, E., 923
Guibal, E. See Roussy, J., 2070
Gulmus, S. A.
—; Yilmazer, U.: Effect of Volume Fraction and Particle Size on Wall Slip in Flow of Polymeric Suspensions, 439
Güner, F. S. See Yılmaz, O., 1032
Guo, F. See Liang, H., 912
Guo, Z. See Hua, J., 1215
Guruprasad, K. H. See Shashidhara, G. M., 1765

Hamada, H. See Kori, Y., 603; Semba, T., 500; Yamaguchi, S., 294
Hamed, S. S. See Seoudi, R., 936
Hamza, A. A. See Belal, A. E., 1135
Hara, A. See Watanabe, M., 1996
Harmon, J. P. See Liu, Y., 1300
Harrison, G. M. See Daly, P. A., 66
Hasegawa, N.
—; Tsukigase, A.; Usuki, A.: Silicate Layer Dispersion in Copolymer/Clay Nanocomposites, 1554
Häußler, L. See Pompe, G., 1308; Pompe, G., 1317
Hayama, K. See Hiwatashi, T., 1235
He, X.-D.
—; Ge, X.-W.; Wang, M.-Z.; Zhang, Z.-C.: Morphology Control of Hollow Polymer Latex Particle Preparation, 860
He, X.-Z. See Jia, Y.-G., 1712
—; Xiao, L. J.; Zhang, B.-Y.; Xiao, W.-Q.: Synthesis and Characterization of Side-Chain Liquid-Crystalline Elastomers Containing Cholesterol, 383
Heath, R. H. See Mascia, L., 1036
Hedenqvist, M. S.
—; Merveille, A.; Odelius, K.; Albertsson, A.-C.; Bergman, G.: Adhesion of Microwave-Plasma-Treated Fluoropolymers to Thermoset Vinylester, 838
Heffner, K. H. See Liu, Y., 1300
Hegazy, E. A. See Abd El-Rehim, H. A., 1262
Hequet, E. See Abidi, N., 896
Hess, S. See Moreno-Villoslada, I., 598
Hexemer, A. See Bubeck, R. A., 2473
Hibbs, M. R. See Liu, R. Y. F., 1615
Hiltner, A. See Hu, Y. S., 1629; Liu, R. Y. F., 1615; Yu, J., 1799
Hiwatashi, T.
—; Hayama, K.; Sawada, Y.; Itoh, T.: Terpolymer Films Having Semipolar Structure: Preparation, Wettability, and Mechanical Properties, 1235
Honda, T. See Lu, R., 1055
Hong, B. T.
—; Shin, K. S.; Kim, D. S.: Ultraviolet-Curing Behavior of an Epoxy Acrylate Resin System, 1180
Hong, C. See Hu, Z., 189
Hong, C. H.
—; Lee, Y. B.; Bae, J. W.; Jho, J. Y.; Nam, B. U.; Hwang, T. W.: Preparation and Mechanical Properties of Polypropylene/Clay Nanocomposites for Automotive Parts Application, 427
Hong, H. See Ren, J., 1884
Hong, S.-M. See Liu, J.-H., 88
Hosseinzadeh, H. See Pourjavadi, A., 255
Hou, A. See Xie, K., 1922
Hou, C.
—; Qu, R.; Qun, W.; Ying, L.; Wang, C.: Degradation of Acrylonitrile–Ammonium Itaconate Copolymers, 1708
Hsiao, B. S. See Larin, B., 1113
Hsiao, K.-J.
—; Kuo, J.-L.; Tang, J.-W.; Chen, L.-T.: Physics and Kinetics of Alkaline Hydrolysis of Cationic Dyeable Poly(ethylene terephthalate) (CDPET) and Polyethylene Glycol (PEG)–Modified CDPET Polymers: Effects of Dimethyl 5-Su!foisophthalate Sodium Salt/PEG Conent and the Number-Average Molecular Weight of the PEG, 550
Hsu, C.-Y. See Lin, K.-F., 2042
Hsu, K.-C. See Chen, L.-P., 109
Hsu, S. L.-C. See Yang, C.-Y., 2064

Hu, B. See Fuchs, A., 2402
Hu, C. P. See Ding, L., 880
Hu, H.-L.
—; Ko, T.-H.; Kuo, W.-S.: Changes in the Microstructure and Characteristics of Carbon/Carbon Composites with Mesophase Mesocarbon Microbeads Added During Graphitization, 2178
Hu, J. See Tang, Z., 102
Hu, J.-S. See Wang, Y., 329
Hu, J. W.
—; Cheng, G. S.; Zhang, M. Q.; Li, M. W.; Xiao, D. S.; Chen, S. G.; Rong, M. Z.; Zheng, Q.: Electrical Resistance Response of Poly(ethylene Oxide)-Based Conductive Composites to Organic Vapors: Effect of Filler Content, Vapor Species, and Temperature, 1517
Hu, K. Y.
—; Xu, T. W.; Yang, W. H.; Fu, Y. X.: Effects of Heat Treatment on the Properties of Heterogeneous Cation Permeable Membranes from Blends of Poly(ether sulfone)/Sulfonated Poly(phenylene sulfide) and Phenolphthalein Poly(ether ether ketone)/Sulfonated Poly(pheylene sulfide), 494
Hu, N. See Tang, Z., 102
Hu, Y. See Zong, R., 1172
Hu, Y. S. See Liu, R. Y. F., 1615
—; Hiltner, A.; Baer, E.: Improving Oxygen Barrier Properties of Poly(ethylene terephthalate) by Incorporating Isophthalate. II. Effect of Crystallization, 1629
Hu, Z.
—; Liu, Y.; Hong, C.; Pan, C.: Synthesis of Well-Defined Glycoconjugate Polyacrylamides via Preactivated Polymers Prepared by ATRP, 189
Hua, J.
—; Yang, H.; Guo, Z.; Xu, L.; Chen, D.: Synthesis of C_{60}-Bonded Polystyrene Initiated with $C_{60}Cl_n/Ni(naph)_2/P(Ph)_3$, 1215
Huang, C. K.
—; Chiu, S. W.: Formability and Accuracy of Micropolymer Compound with Added Nanomaterials in Microinjection Molding, 1865
Huang, G. See Jiang, B., 2094
Huang, J.-C. See Tao, Z., 903
Huang, J.-S. See Chen, S.-C., 1072; Chen, S.-C., 1969
Huang, R.-N. See Yu, S.-H., 538
Huang, T.-S. See Lin, K.-F., 2042
Huang, Y.-J. See Dong, J.-P., 264
Huerta, M. See Jeria, M., 1897; Pizarro, G. d. C., 1903
Huh, Y.-i. See Choi, D., 1688
Hung, H.-J. See Liu, J.-H., 88
Hupfer, B. See Pompe, G., 1308; Pompe, G., 1317
Hurtrez, G. See Compos, D., 1339
Hwang, K.-J. See Choi, S.-S., 2282
Hwang, T. W. See Hong, C. H., 427

Ibraeva, Z. E. See Kudaibergenov, S. E., 2101
Iengo, P. See Trombetta, T., 1364
Ikeda, Y. See Matoba, Y., 825
Imai, M. See Matsushita, Y., 2508
Isayev, A. I. See Kwon, K., 2300
Ishak, Z. A. M. See Chow, W. S., 780; Leong, Y. W., 413
Ishiaku, U. S. See Semba, T., 500; Yamaguchi, S., 294
Ishii, H. See Jin, X. Z., 15
Ishimura, T. See Lu, R., 1055
Isono, Y. See Kawazura, T., 613
Itoh, T. See Hiwatashi, T., 1235
Ivanova, G. See Mokreva, P., 1822

Jang, L. W.
—; Kim, E. S.; Kim, H. S.; Yoon, J.-S.: Preparation and Characterization of Polypropylene/Clay Nanocomposites with Polypropylene-graft-Maleic Anhydride, 1229
Janke, A. See Pompe, G., 1308; Pompe, G., 1317
Jannesari, A.
—; Ghaffarian, S. R.; Taromi, F. A.; Mohammadi, N.: The Preparation and Properties of Segmented-Chain Liquid Crystalline Polyesters Based on 4,4′-Dihydroxybiphenyl by Interfacial Polycondensation, 1594
Jelenic, J. See Datta, S., 1393
Jeria, M. See Pizarro, G. d. C., 1903
—; Pizarro, G. d. C.; Marambio, O. G.; Huerta, M.; Valencia, P.; Rivas, B. L.: Copolymers of 2-Hydroxyethylmethacrylate and *N*-Maleoylglycine: Synthesis, Characterization, and Swelling Behavior, 1897
Jho, J. Y. See Hong, C. H., 427
Jia, Y.-G.
—; Zhang, B.-Y.; He, X.-Z.; Ning, J.-Z.: Synthesis and Phase Behavior of Nematic Liquid-Crystalline Elastomers Derived from Smectic Crosslinking Agent, 1712
Jiajia, S.
—; Xiaohui, Y.; Yunhang, L.; Xinling, W.: Perfluoroalkyl-Terminated Star Polymer Electrolyte, 238
Jiang, B.
—; Zhou, Y.; Yang, Z.; Wu, Z.; Huang, G.; Lin, L.; Zhang, X.: Radiation Curing of Collagen/Divinyl Ether Enhanced by Pyridinium Salts, 2094
Jiang, G.
—; Wang, L.; Chen, T.; Wang, J.; Chen, C.; Yu, H.: Synthesis, Properties, and Self-Assembly of Poly(benzyl ether)-*b*-Polystyrene Dendritic–Linear Polymers, 1106
Jiang, G.-X. See Fu, Z.-S., 195
Jiang, J. See Liang, L., 1477
Jiang, L. See Zheng, P., 83
—; Lou, L.; Sun, W.; Xu, L.; Shen, Z.: Ring-Opening Polymerization of ε-Caprolactone with a Divalent Samarium Bis(phosphido) Complex, 1558
Jiang, P. See Li, Q., 2487
Jiang, T.
—; Chen, W.; Zhao, F.; Liu, Y.; Wang, R.; Du, H.; Zhang, T.: Preparation of Porous Spherical $MgCl_2/SiO_2$ Complex Support as Precursor for Catalytic Propylene Polymerization, 1296
Jiang, T.-Y. See Wang, Y., 329
Jiang, W. See Li, X., 2481
Jiang, W.-C.
—; Meng, W.-D.; Qing, F.-L.: Synthesis of a Novel Perfluorooctylated Polyacrylate and Its Application on Cotton Fabrics, 222
Jiang, X. See Zhang, D., 347
Jiang, Y. See Sun, Y., 474; Xu, Q., 831
Jin, F.-L. See Lee, J.-R., 1860
Jin, S. See Chen, S., 1720
Jin, W. See Xu, J.-T., 208; Xu, J.-T., 243
Jin, X. See Sun, Y., 474
Jin, X. Z.
—; Ishii, H.: Novel Positive-Type Photosensitive Polyimide with Low Dielectric Constant, 15
Jing, X. See Tang, Z., 102
—; Wang, Y.; Zhang, B.: Electrical Conductivity and Electromagnetic Interference Shielding of Polyaniline/Polyacrylate Composite Coatings, 2149
Jiu-Rong, C.
—; Li-Sheng, Z.; Xu-Ming, W.; Chuan-Xiang, X.: Study of Surface Fluorinating for Reducing

Attenuation of Polymethyl Methacrylate Polymer Optic Fiber, 2369
John, K. S. See Kumar, K. G., 1536
Jones, D. S.
—; Muldoon, B. C. O.; Woolfson, A. D.; Sanderson, F. D.: Rheological Destructuring of Aqueous Gels Composed of Cellulose Ethers Following Storage in the Presence of Redox Agents, 852
Jones, S. A.
—; Martin, G. P.; Royall, P. G.; Brown, M. B.: Biocompatible Polymer Blends: Effects of Physical Processing on the Molecular Interaction of Poly(vinyl alcohol) and Poly(vinyl pyrrolidone), 2290
Jong, L.
—; Characterization of Defatted Soy Flour and Elastomer Composites, 353
Joo, Y. L.
—; Zhou, H.; Lee, S.-G.; Lee, H.-K.; Song, J. K.: Solid-State Compaction and Drawing of Nascent Reactor Powders of Ultra-High-Molecular-Weight Polyethylene, 718
Joseph, K. See Stephen, R., 1125
Jovancic, P. See Vílchez, S., 1938
Julià, M. R. See Vílchez, S., 1938

Kader, M. A. See Choi, D., 1688
Kadla, J. F. See Kubo, S., 1437
Kaesaman, A. See Nakason, C., 1251
Kahraman, R.
—; Effects of the Aluminum Filler Content on Moisture Diffusion into Epoxy Adhesives in Distilled Water and Sea Water, 1165
Kakati, D. K. See Bhuyan, P. K., 2320
Kale, D. D. See Aravinthan, G., 75
Kaliaguine, S. See Reyna-Valencia, A., 2380
Kanda, D. H. F. See Malmonge, J. A., 746
Kanekura, K.
—; Tsujita, Y.; Yoshimizu, H.; Okamoto, S.; Kunisada, H.; Goto, M.: Characterization and Transport Properties of a Novel Aliphatic Polyamide with an Ethyl Branch, 1955
Kapila, S. See Shabeer, A., 1772
Karaman, F. Y. See Sakar, D., 2365
Karapanagiotis, I.
—; Gerberich, W. W.: Particle Nucleation for Dewetting Initiation of Thin Polymer Films, 138
Kawahara, S. See Kawazura, T., 613
Kawase, T. See Sawada, H., 169
Kawazura, T.
—; Kawahara, S.; Isono, Y.: Effect of Fatty Acids on the Strain-Induced Crystallization of Natural Rubber Detected by Tear Energy Measurements, 613
Keklik, M. See Sarac, A., 1380
Khalil, F. H. See Moslehe, S., 2373
Khorasani, M. T. See Dabagh, M., 758
Kim, B. K. See Yang, J. S., 2080
Kim, B.-T. See Choi, S.-S., 2282
Kim, D. S. See Hong, B. T., 1180
Kim, E. S. See Chen, G.-X., 1727; Jang, L. W., 1229; Lee, C. M., 886
Kim, H. S. See Jang, L. W., 1229; Kim, N. H., 1290; Kim, N. H., 1663
Kim, J. H. See Subramani, S., 620
Kim, N. H.
—; Kim, H. S.: Micro-Void Toughening of Thermosets and Its Mechanism, 1290
—; Kim, H. S.: Toughening Method and Mechanisms for Thermosets, 1663
Kıralp, S.
—; Cirpan, A.; Toppare, L.: Enzyme Electrodes for Determination of Total Phenolic Capacity of Red Wines, 521
Kızılcan, N.
—; Akar, A.: Modification of Cyclohexanone–Formaldehyde Resins with Silicone Tegomers, 97
Kishore
—; Shankar, R.; Sankaran, S.: Short Beam Three Point Bend Tests in Syntactic Foams. I. Microscopic Characterization of the Failure Zones, 673
—; Shankar, R.; Sankaran, S.: Short-Beam Three-Point Bend Tests in Syntactic Foams. II. Effect of Microballoons Content on Shear Strength, 680
—; Shankar, R.; Sankaran, S.: Short-Beam Three-Point Bend Test Study in Syntactic Foam. III. Effects of Interface Modification on Strength and Fractographic Features, 687
Kitagawa, K. See Kori, Y., 603; Semba, T., 500
Kloosterboer, J. G. See Verstegen, E. J. K., 1697
Ko, T.-H. See Hu, H.-L., 2178
Koda, S. See Maebayashi, M., 1385
Kontou, E.
—; Effect of Thermal Treatments on the Yielding of Polycarbonate, 796
Kopytko, W. See Zatloukal, M., 153
Kori, Y.
—; Kitagawa, K.; Hamada, H.: Crystallization Behavior and Viscoelasticity of Bamboo-Fiber Composites, 603
Köse, D. A. See Öztürk, Ö. F., 490
Kovtun, O. See Gawdzik, B., 2461
Krassa, K. See Pavlidou, S., 843
Kressler, J. See Mahmood, N., 1280
Kripesh, V. See Priyadarshi, A., 950
Kuan, H.-C. See Ma, C.-C. M., 2266
Kubo, S.
—; Kadla, J. F.: Kraft Lignin/Poly(ethylene oxide) Blends: Effect of Lignin Structure on Miscibility and Hydrogen Bonding, 1437
Kudaibergenov, S. E.
—; Didukh, A. G.; Ibraeva, Z. E.; Bimendina, L. A.; Rullens, F.; Devillers, M.; Laschewsky, A.: A Regular, Hydrophobically Modified Polyampholyte as Novel Pour Point Depressant, 2101
Kufelnicki, A. See Bodek, K. H., 2572
Kulkarni, M. R. See Pujari, N. S., 58
Kulpinski, P.
—; Cellulose Fibers Modified by Silicon Dioxide Nanoparticles, 1793
—; Cellulose Nanofibers Prepared by the *N*-Methylmorpholine-*N*-oxide Method, 1855
Kumar, K. G.
—; John, K. S.; Poduval, R.: Polystyrene Anchored Vanillin Schiff Base—Complexation and Ion Removal Studies, 1536
Kumar, S. See Chauhan, G. S., 373; Uchida, T., 985
Kunisada, H. See Kanekura, K., 1955
Kuo, J.-L. See Hsiao, K.-J., 550
Kuo, T.-W. See Tan, C.-S., 750
Kuo, W.-S. See Hu, H.-L., 2178
Kurkuri, M. D.
—; Nayak, J. N.; Aralaguppi, M. I.; Naidu, B. V. K.; Aminabhavi, T. M.: Sorption/Diffusion of Aqueous Mixtures of 1,4-Dioxane/Tetrahydrofuran through Blend Membranes of Poly(vinyl alcohol) and Sodium Alginate: Their Compatibility and Pervaporation Separation Studies, 178
Kurup, M. B. See Bhat, N. V., 276

Kwok, A. Y.
—; Neo, S. A.; Qiao, G. G.; Solomon, D. H.: Polymerization-Induced Phase Separations in Branched Poly(methyl methacrylate) Synthesis, 1462
Kwon, K.
—; Isayev, A. I.; Kim, K. H.: Toward a Viscoelastic Modeling of Anisotropic Shrinkage in Injection Molding of Amorphous Polymers, 2300

Lacorte, T. See Carrasco, F., 1524
Lai, D.-H. See Dong, J.-P., 264
Lai, M. See Yang, J., 1087
Lai, M. F. See Li, J., 1427
Lankford, A. R. See Chiou, B. S., 53
Large, M. C. J. See Pujari, N. S., 58
Larin, B.
—; Marom, G.; Avila-Orta, C. A.; Somani, R. H.; Hsiao, B. S.: Orientated Crystallization in Discontinuous Aramid Fiber/Isotactic Polypropylene Composites under Shear Flow Conditions, 1113
Laschewsky, A. See Kudaibergenov, S. E., 2101
Laza, J. M.
—; Vilas, J. L.; Mijangos, F.; Rodríguez, M.; León, L. M.: Analysis of the Crosslinking Process of Epoxy–Phenolic Mixtures by Thermal Scanning Rheometry, 818
Leal, C. R. See Filipe, S., 694
Lee, C.-H. See Wei, M.-H., 1224
Lee, C. M.
—; Kim, E. S.; Yoon, J.-S.: Reactive Blending of Poly(L-lactic acid) with Poly(ethylene-*co*-vinyl alcohol), 886
Lee, H.-K. See Joo, Y. L., 718
Lee, I. C. See Chang, J.-H., 2009
Lee, J.-H. See Dong, J.-P., 264
Lee, J. M. See Subramani, S., 620
Lee, J.-R.
—; Jin, F.-L.; Park, S.-J.: Substitution Effects of Methyl and Trifluoromethyl Groups on the Physicochemical Properties of Epoxy Resins, 1860
Lee, P.-H. See Chen, S.-C., 1072
Lee, S.-C. See Lee, W.-F., 1092
Lee, S.-G. See Joo, Y. L., 718
Lee, W.-F.
—; Chen, Y.-C.: Effect of Intercalated Hydrotalcite on Swelling and Mechanical Behavior for Poly(acrylic acid-*co*-*N*-isopropylacrylamide)/Hydrotalcite Nanocomposite Hydrogels, 1572
—; Lee, S.-C.: Effect of Gelatin on the Swelling Behavior of Organic Hybrid Gels Based on *N*-Isopropylacrylamide and Gelatin, 1092
Lee, Y. B. See Hong, C. H., 427
Lee, Y.-H. See Lin, K.-F., 2042
Lehmann, D. See Pompe, G., 1308; Pompe, G., 1317
Lei, Z. See Ren, H., 315
Lengálová, A. See Zatloukal, M., 153
León, L. M. See Laza, J. M., 818
Leong, Y. W. See Yamaguchi, S., 294
—; Bakar, M. B. A.; Ishak, Z. A. M.; Ariffin, A.: Effects of Filler Treatments on the Mechanical, Flow, Thermal, and Morphological Properties of Talc and Calcium Carbonate Filled Polypropylene Hybrid Composites, 413
Li, A. See Deng, L., 2116
—; Liu, R.; Wang, A.: Preparation of Starch-Graft-Poly(Acrylamide)/Attapulgite Superabsorbent Composite, 1351
Li, C. See Wang, G., 1511
Li, C.-F. See Yang, T.-C., 564
Li, F. See Zhao, C., 1674
—; Zhou, S.; Wu, L.: Effects of Preparation Method on Microstructure and Properties of UV-Curable Nanocomposite Coatings Containing Silica, 1119
—; Zhou, S.; Wu, L.: Preparation and Characterization of UV-Curable MPS-modified Silica Nanocomposite Coats, 2274
Li, G.-y. See Tohmura, S.-i., 791
Li, H. See Cao, Y., 945; Peng, M., 1358
Li, J. See Gao, N., 2454; Peng, Q., 864; Xu, Q., 831; Yang, J., 1087
—; Gong, Y.; Zhao, N.; Zhang, X.: Preparation of *N*-Butyl Chitosan and Study of Its Physical and Biological Properties, 1016
—; Lai, M. F.; Liu, J. J.: Control and Development of Crystallinity and Morphology in Poly(β-hydroxybutyrate-*co*-β-hydroxyvalerate)/Poly(propylene carbonate) Blends, 1427
Li, L. See Ren, Y., 1814
—; Wang, Q.; Wang, R.: Enhancing Mechanical Properties of Poly(vinyl alcohol) Blown Films by Drawing and Surface Crosslinking, 774
Li, M. W. See Hu, J. W., 1517
Li, Q.
—; Zhong, H.; Wei, P.; Jiang, P.: Thermal Degradation Behaviors of Polypropylene with Novel Silicon-Containing Intumescent Flame Retardant, 2487
Li, S. See Gao, C., 1761; Gao, N., 2454
Li, W., 1565, Cui, X.
Li, X. See Sun, Y., 474; Wang, G., 1511
—; Zhao, C.; Lu, H.; Wang, Z.; Jiang, W.; Na, H.: Preparation of a New Type of Ion-Exchange Membrane Based on Sulfonated Poly(ether ether ketone ketone)s, 2481
Li, Y. See Xu, H., 146
—; Liu, H.; Zhang, Y.; Yang, G.: Melting Behavior and Nonisothermal Crystallization Kinetics of Polyamide 6/Polyamide 66 Molecular Composites via In Situ Polymerization, 2172
—; Ma, J.; Wang, Y.; Liang, B.: Synthesis and Characterization of Sulfonated Poly(ethylene terephthalate)/Montmorillonite Nanocomposites, 1150
—; Wang, S.; Zhang, Yong; Zhang, Yinxi: Electrical Properties and Morphology of Polypropylene/Epoxy/Glass Fiber Composites Filled with Carbon Black, 1142
Li, Z. See Liu, G., 1010
Liang, B. See Li, Y., 1150
Liang, H.
—; Chen, B.; Zhang, Q.; Zheng, Z.; Ming, H.; Guo, F.: Amplified Spontaneous Emission of $Eu(DBM)_3Phen$ Doped Step-Index Polymer Optical Fiber by End-Pumping with a YAG, 912
Liang, L.
—; Dickson, J. M.; Zhu, Z.; Jiang, J.; Brook, M. A.: Removal of 1,2-Dichloroethane from Aqueous Solutions with Novel Composite Polydimethylsiloxane Pervaporation Membranes, 1477
Liao, G. See Zong, R., 1172
Liao, Z. See Qi, Y., 1500
Lin, C. B. See Chou, Y.-C., 2329
Lin, D. G.
—; Vorobieva, E. V.: On Increasing the Efficiency of Amine Antioxidant, 401
Lin, D.-S.
—; Yang, S.-M.: Synthesis and Characterization of Poly(2-ethylaniline)–Poly(styrenesulfonic Acid) and Poly(*o*-phenetidine)–

Poly(styrenesulfonic Acid) Complexes, 1198
Lin, K.-F.
—; Hsu, C.-Y.; Huang, T.-S.; Chiu, W.-Y.; Lee, Y.-H.; Young, T.-H.: A Novel Method to Prepare Chitosan/Montmorillonite Nanocomposites, 2042
Lin, L. See Jiang, B., 2094
Lin, Y. See Yang, J., 1087; Zhang, A., 2109
Li-Sheng, Z. See Jiu-Rong, C., 2369
Liu, G.
—; Zhang, L.; Gao, C.; Qu, X.: Copolymerization of Styrene with *N*-Phenyl Maleimide in the Presence of Montmorillonite, 1932
—; Zhang, L.; Li, Z.; Qu, X.: Synthesis and Characterization of Styrene-*N*-Phenyl Maleimide/Montmorillonite Nanocomposites Prepared through Emulsion Polymerization, 1010
Liu, H. See Li, Y., 2172
Liu, J. See Yang, J., 1087
Liu, J.-H.
—; Hung, H.-J.; Wu, D.-S.; Hong, S.-M.; Fu, A. Y. G.: Preparation and Electro-optical Behaviors of Polymer Stabilized Liquid Crystal Cells with Chiral Matrices Derived from (–)-Camphor, 88
Liu, J. J. See Li, J., 1427
Liu, L. See Yang, Z., 407
Liu, M. See Chen, S., 1720; Wang, Y., 1643
Liu, N. See Zong, R., 1172
Liu, Q.
—; Tian, M.; Ding, T.; Shi, R.; Zhang, L.: Preparation and Characterization of a Biodegradable Polyester Elastomer with Thermal Processing Abilities, 2033
Liu, R. See Li, A., 1351
Liu, R. Y. F.
—; Hu, Y. S.; Hibbs, M. R.; Collard, D. M.; Schiraldi, D. A.; Hiltner, A.; Baer, E.: Improving Oxygen Barrier Properties of Poly(ethylene Terephthalate) by Incorporating Isophthalate. I. Effect of Orientation, 1615
Liu, X. See Xi, D., 1457
Liu, Y. See Hu, Z., 189; Jiang, T., 1296; Wang, Y., 1643
—; Wang, Y.-F.; Gerasimov, T. G.; Heffner, K. H.; Harmon, J. P.: Thermal Analysis of Novel Underfill Materials with Optimum Processing Characteristics, 1300
Lou, L. See Jiang, L., 1558
Lu, D. See Guan, R., 1244
Lu, H. See Li, X., 2481
Lu, R.
—; Ishimura, T.; Tsutida, K.; Honda, T.; Miyakoshi, T.: Development of a Fast Drying Hybrid Lacquer in a Low-Relative-Humidity Environment Based on Kurome Lacquer Sap, 1055
Lu, W. See Guan, R., 1244
Lub, J. See Verstegen, E. J. K., 1697
Lubczak, J. See Wêglowska, E., 2130
Luo, Q. See Sun, Y., 474

Ma, C.-C. M.
—; Chen, Y.-J.; Kuan, J.-C.: Polystyrene Nanocomposite Materials: Preparation, Morphology, and Mechanical, Electrical, and Thermal Properties, 2266
Ma, J. See Li, Y., 1150
Ma, L. See Yan, C., 22
Ma, M.
—; Qu, L.; Shi, G.: Glucose Oxidase Electrodes Based on Microstructured Polypyrrole Films, 2550
Ma, Y. See Sun, Y., 474
Maaroufi, A.-K.
—; Pinto, G.; Paz, I.: Non-Linear Electrical Conductivity of Urea-Formaldehyde-Cellulose Loaded With Powders of Different Carbon Fillers, 990
Madbouly, S. A. See Nanda, A. K., 2514
Maebayashi, M.
—; Otsuka, S.; Matsuoka, T.; Koda, S.: Acoustic Analysis of Composite Soft Materials III: Compressibility of Boundary Layers around Particles of Mica and Calcium Carbonate, 1385
Mahmood, N.
—; Kressler, J.; Busse, K.: Structure Analysis in Polyurethane Foams at Interfaces, 1280
Maia, J. M. See Filipe, S., 694
Mallakpour, S.
—; Rafiemanzelat, F.: New Optically Active Poly(amide–imide–urethane) Thermoplastic Elastomers Derived from Poly(ethylene glycol diols), 4,4′-Methylene-bis(4-phenylisocyanate), and a Diacid Based on an Amino Acid by a Two-Step Method Under Microwave Irradiation, 1781
Malmonge, J. A.
—; dos Santos, M. A.; Malmonge, L. F.; Kanda, D. H. F.; Chierice, G. O.; Sakamoto, W. K.: Characterization of Castor Oil Based Polyurethane Films Prepared with *N*-Methyl-2-pyrrolidinone as a Solvent, 746
Malmonge, L. F. See Malmonge, J. A., 746
Manas-Zloczower, I. See Warley, R. L., 1001
Mandot, S. K. See Chakraborty, S., 1492
Manich, A. M. See Vílchez, S., 1938
Marambio, O. G. See Jeria, M., 1897; Pizarro, G. d. C., 1903
Marcos-Fernández, A. See González, L., 1219
Marcovich, N. E. See Acha, B. A., 639
Marom, G. See Larin, B., 1113
Martin, G. P. See Jones, S. A., 2290
Martínez-Ageitos, J. M. See Fraga, F., 2003
Martinez-Vega, J. See Reyes-Melo, E., 923
Mascia, L.
—; Ng, V. S. Y.; Heath, R. H.; Messori, M.: Silane Functionalization of Perfluoroether Oligomers for Reaction Management and Morphology Control of Two-Phase Epoxy Networks, 1036
Mateo, J. L.
—; Calvo, M.; Bosch, P.: Distribution of Mono- and Di-Methacrylic Monomers in SBS Block Copolymer and Its Influence on the Photopolymerization Process, 163
Mathew, A. P.
—; Varghese, H.; Thomas, S.: Electrical Properties of Nanostructured Interpenetrating Polymer Networks Based on Natural Rubber (NR)/Polystyrene (PS), 2017
Matoba, Y.
—; Shoji, S.; Ikeda, Y.: Conductivity of Crosslinked Poly(Epichlorohydrin-*co*-(Ethylene Oxide)-*co*-(Allyl Glycidyl Ether)) Compositions under Ambient Circumstances for Its Application to an Electrophotographic System, 825
Matsunaga, K.
—; Nakagawa, K.; Sawai, S.; Sonoda, O.; Tajima, M.; Yoshida, Y.:

Synthesis and Characterization of Polyurethane Anionomers, 2144
Matsuoka, T. See Maebayashi, M., 1385
Matsushita, Y.
—; Imai, M.; Tamura, T.; Fukushima, K.: Preparation and Evaluation of a Dispersant for Gypsum Paste from Acid Hydrolysis Lignin, 2508
Mazidi, R. See Pourjavadi, A., 255
McAninch, I. M. See Thielemans, W., 1325
McCormick, A. V. See Basu, S. K., 116
McEwen, I. See Princi, E., 1157
Meal, L.
—; Use of Fourier Transform Infrared and Second Derivative Ultraviolet Spectrometry in Determining Polystyrene–Poly(4-vinylpyridine) Blend Composition, 2422
Melik, D. H. See Daly, P. A., 66
Mello, I. L. See Coutinho, F. M. B., 2539
Meng, W.-D. See Jiang, W.-C., 222
Mera, A. E. See Chiou, B. S., 53
Merveille, A. See Hedenqvist, M. S., 838
Messori, M. See Mascia, L., 1036
Metref, F. See Bennour, S., 806
Mhaisalkar, S. G. See Priyadarshi, A., 950
Mi, F.-L. See Yu, S.-H., 538
Miao, A.-H. See Yuan, C.-D., 1505
Mijangos, F. See Laza, J. M., 818
Ming, H. See Liang, H., 912
Miranda, V. See Moreno-Villoslada, I., 598
Mishra, A.
—; Bajpai, M.: Synthesis and Characterization of Polyacrylamide Grafted Copolymers of Kundoor Mucilage, 1186
Mishra, S.
—; Shimpi, N. G.: Mechanical and Flame-Retarding Properties of Styrene–Butadiene Rubber Filled with Nano-$CaCO_3$ as a Filler and Linseed Oil as an Extender, 2563
Miyakoshi, T. See Lu, R., 1055
Mizoguchi, M. See Yamaguchi, S., 294
Mizuno, M. See Onishi, Y., 9
Moet, A. See Al-Khanbashi, A., 767
Mohamed, A. P. See Palaniswamy, N. K., 2245
Mohammadi, N. See Jannesari, A., 1594
Mohan, Y. M.
—; Murthy, P. S. K.; Sreeramulu, J.; Raju, K. M.: Swelling Behavior of Semi-Interpenetrating Polymer Network Hydrogels Composed of Poly(Vinyl Alcohol) and Poly(Acrylamide-*co*-Sodium Methacrylate), 302
Mokreva, P.
—; Tsocheva, D.; Ivanova, G.; Terlemezyan, L.: Copolymers of Aniline and o-Methoxyaniline: Synthesis and Characterization, 1822
Monem, M. I. A. See Aly, K. I., 2394
Montanari, G. C. See Saccani, A., 968
Montoya, M.
—; Abad, M. J.; Barral Losada, L.; Bernal, C.: Deformation and Fracture Behavior of Polypropylene–Ethylene Vinyl Alcohol Blends Compatibilized with Ionomer Zn^{2+}, 1271
Moreno-Villoslada, I.
—; Oyarzún, F.; Miranda, V.; Hess, S.; Rivas, B. L.: Binding of Chlorpheniramine Maleate to Pharmacologically Important Alginic Acid, Carboxymethylcellulose, κ-Carageenan, and ι-Carrageenan as Studied by Diafiltration, 598
Moslehe, S.
—; Gawish, S. M.; Khalil, F. H.; Bieniek, R. F.: Properties and Application of Novel Amphoteric Polypropylene Fabrics, 2373
Moteleb, M. M. A. See Shinouda, H. G., 571
Motori, A. See Saccani, A., 968
Moutet, J.-C. See Rivas, B. L., 1192
Mukhopadhyay, R. See Chakraborty, S., 1492
Muldoon, B. C. O. See Jones, D. S., 852
Muller, R. See Serra, C., 1978
Mun, M. K. See Chang, J.-H., 2009
Murakami, A. See Sato, T., 731
Murashita, A. See Onishi, Y., 9
Murthy, P. S. K. See Mohan, Y. M., 302
Mythili, C. V.
—; Retna, A. M.; Gopalakrishnan, S.: Physical, Mechanical, and Thermal Properties of Polyurethanes Based on Hdroxyalkylated Cardanol–Formaldehyde Resins, 284

Na, H. See Li, X., 2481
Nada, A. M. A. See Seoudi, R., 936
Nah, C. See Choi, D., 1688
Naidu, B. V. K. See Kurkuri, M. D., 178
Nakagawa, K. See Matsunaga, K., 2144
Nakagawa, M. See Semba, T., 500
Nakason, C.
—; Tobprakhon, A.; Kaesaman, A.: Thermoplastic Vulcanizates Based on Poly(methyl methacrylate)/Epoxidized Natural Rubber Blends: Mechanical, Thermal, and Morphological Properties, 1251
Nam, B. U. See Hong, C. H., 427
Namdas, E. B. See Priyadarshi, A., 950
Nanda, A. K.
—; Wicks, D. A.; Madbouly, S. A.; Otaigbe, J. U.: Effect of Ionic Content, Solid Content, Degree of Neutralization, and Chain Extension on Aqueous Polyurethane Dispesions Prepared by Prepolymer Method, 2514
Nando, G. B. See Siddaramaiah, 1947
Nanjundappa, R.
—; Bhat, G. S.: Effect of Processing Conditions on the Structure and Properties of Polypropylene Spunbond Fabrics, 2355
Na-Ranong, N. See Arayapranee, W., 34
Narkis, M. See Yang, J. S., 2080
Narola, B. N. See Raval, D. K., 531
Naskar, K. See Datta, S., 1393
Nate, M. M. See Bhat, N. V., 276
Nayak, J. N. See Kurkuri, M. D., 178
Neo, S. A. See Kwok, A. Y., 1462
Ng, V. S. Y. See Mascia, L., 1036
Ning, J.-Z. See Jia, Y.-G., 1712
Nishi, N. See Zhao, C., 1668; Zhao, C., 1674
Nomizu, M. See Zhao, C., 1668; Zhao, C., 1674
Noordermeer, J. W. M. See Datta, S., 1393
Nunes, D. S. S. See Coutinho, F. M. B., 2539

Odelius, K. See Hedenqvist, M. S., 838
Ogale, A. A. See Cherukupalli, S. S., 1740
Ohashi, R. See Sawada, H., 169
Okada, M. See Yokoe, M., 1679
Okamoto, S. See Kanekura, K., 1955
Okieimen, F. E. See Akinlabi, A. K., 1733

Öksüz, M.
—; Eroğlu, M.: Effect of the Elastomer Type on the Microstructure and Mechanical Properties of Polypropylene, 1445
Omrani, A. See Ghaemy, M., 1540
Onishi, Y.
—; Eshita, Y.; Murashita, A.; Mizuno, M.; Yoshida, J.: Synthesis and Characterization of 2-Diethylaminoethyl–Dextran–Methyl Methacrylate Graft Copolymer for Nonviral Gene Delivery Vector, 9
Ortiz-Mendez, U. See Reyes-Melo, E., 923
Osorio, A. See Peniche, H., 651
Osorio, F. See Rivas, B. L., 1192
Östenson, M. See Vander Wielen, L. C., 2219
Otaigbe, J. U. See Nanda, A. K., 2514
Otsuka, S. See Macbayashi, M., 1385
Oyarzún, F. See Moreno-Villoslada, I., 598
Öztürk, Ö. F.
—; Köse, D. A.; Ay, A. N.; Zümreoglu-Karan, B.: Effect of Chromium Aging on the Structural and Thermal Properties of Chromium Polyacrylate, 490

Pagès, P. See Carrasco, F., 1524
Palaniswamy, N. K.
—; Mohamed, A. P.: Effect of Single Yarn Twist and Ply to Single Yarn Twist Ratio on Strength and Elongation of Ply Yarns, 2245
Pan, C. See Hu, Z., 189
Pan, H. See Ren, Y., 1814
Pan, Y. See Wang, Y.-J., 1344
Pang, M. See Peng, Q., 864; Xu, Q. 831
Pang, X. See Tang, Z., 102
Papaspyrides, C. D. See Pavlidou, S., 843
Park, J. H.
—; Gatewood, B. M.; Ramaswamy, G. N.: Naturally Occurring Quinones and Flavonoid Dyes for Wool: Insect Feeding Deterrents, 322
Park, S. G. See Prashantha, K., 1875
Park, S.-J. See Lee, J.-R., 1860
Patel, A. J. See Raval, D. K., 531
Pavlidou, S.
—; Krassa, K.; Papaspyrides, C. D.: Woven Glass Fabric/Polyester Composites: Effect of Interface Tailoring on Water Absorption, 843
Pawlak, A. See Pracella, M., 2201
Paz, I. See Maaroufi, A.-K., 990
Pazhanisamy, P.
—; Ariff, M.; Anwaruddin, Q.: Synthesis and Characterization of Quaternary Ammonium Ionomers, 1100
Pedemonte, E. See Princi, E., 1157
Peng, C.-K. See Yu, S.-H., 538
Peng, H.
—; Cheng, S.; Fan, Z.: Synthesis and Characterization of Poly(*n*-butyl methacrylate)-*b*-Polystyrene Diblock Copolymers by Atom Transfer Radical Emulsion Polymerization, 2123
Peng, M.
—; Li, H.; Wu, L.; Zheng, Q.; Chen, Y.; Gu, W.: Porous Poly(Vinylidene Fluoride) Membrane with Highly Hydrophobic Surface, 1358
Peng, Q. See Xu, Q., 831
—; Xu, Q.; Xu, H.; Pang, M.; Li, J.; Sun, D.: Supercritical CO_2-Assisted Synthesis of Poly(acrylic Acid)/*Antheraea pernyi* SF Blend, 864
Peng, Y. See Tang, W., 2139
Peng, Z. See Gao, N., 2454; Wang, S., 227
Peniche, C. See Peniche, H., 651
Peniche, H.
—; Osorio, A.; Acosta, N.; de la Campa, A.; Peniche, C.: Preparation and Characterization of Superparamagnetic Chitosan Microspheres: Application as a Support for the Immobilization of Tyrosinase, 651
Pereira, E. See Rivas, B. L., 1192
Périchaud, A. See Saäihi, D., 997
Pesce, S. R. See Buchholz, F. L., 2493
Piletska, E. See Schneider, F., 362
Piletsky, S. See Schneider, F., 362
Pinto, G. See Maaroufi, A.-K., 990
Pizarro, G. d. C. See Jeria, M., 1897
—; Jeria, M.; Marambio, O. G.; Huerta, M.; Rivas, B. L.: Hydrophilic Functional Copolymers from *N*-Maleoyl Glycine and Hydroxymethylacrylamide: Synthesis, Characterization, and Thermal Properties, 1903
Poduval, R. See Kumar, K. G., 1536
Poliskie, G. M.
—; Cohen, R. E.; Gleason, K. K.: Static Uniaxial Compression of Polyisoprene–Montmorillonite Nanocomposites Monitored by ^1H Spin–Lattice Relaxation Time Constants, 1806
Pompe, G.
—; Häußler, L.; Adam, G.; Eichhorn, K.-J.; Janke, A.; Hupfer, B.; Lehmann, D.: Reactive Polytetrafluoroethylene/Polyamide 6 Compounds. II. Study of the Reactivity with Respect to the Functionality of the Polytetrafluoroethylene Component and Analysis of the Notched Impact Strength of the Polytetrafluoroethylene/Polyamide 6 Compounds, 1317
—; Häußler, L.; Pötschke, P.; Voigt, D.; Janke, A.; Geißler, U.; Hupfer, B.; Reinhardt, G.; Lehmann, D.: Reactive Polytetrafluoroethylene/Polyamide Compounds. I. Characterization of the Compound Morphology with Respect to the Functionality of the Polytetrafluoroethylene Component by Microscopic and Differential Scanning Calorimetry Studies, 1308
Ponrathnam, S. See Pujari, N. S., 58
Pooley, S. A. See Rivas, B. L., 1192
Poomalai, P. See Ramaraj, B., 2339
Pötschke, P. See Pompe, G., 1308
Pourjavadi, A.
—; Hosseinzadeh, H.; Mazidi, R.: Modified Carrageenan. 4. Synthesis and Swelling Behavior of Crosslinked κC-*g*-AMPS Superabsorbent Hydrogel with Antisalt and pH-Responsiveness Properties, 255
Powell, C. L. See Buchholz, F. L., 2493
Pracella, M.
—; Chionna, D.; Pawlak, A.; Galeski, A.: Reactive Mixing of PET and PET/PP Blends with Glycidyl Methacrylate–Modified Styrene-*b*-(Ethylene-*co*-Olefin) Block Copolymers, 2201
Prashantha, K.
—; Park, S. G.: Nanosized TiO_2-Filled Sulfonated Polyethersulfone Proton Conducting Membranes for Direct Methanol Fuel Cells, 1875
Princi, E.
—; Vicini, S.; Pedemonte, E.; Arrighi, V.; McEwen, I.: New Polymeric Materials for Paper and Textile Conservation. I. Synthesis and Characterization of Acrylic Copolymers, 1157
Priya, A. R. See Subramania, A., 1891

Priyadarshi, A.
—; Shimin, L.; Mhaisalkar, S. G.; Rajoc, R.; Wong, E. H.; Kripesh, V.; Namdas, E. B.: Characterization of Optical Properties of Acrylate Based Adhesives Exposed to Different Temperature Conditions, 950
Pucciariello, R. See Bonini, C., 1451
Pujari, N. S.
—; Kulkarni, M. R.; Large, M. C. J.; Bassett, I. M.; Ponrathnam, S.: Transparent Chiral Polymers for Optical Applications, 58

Qi, Y.
—; Yang, J.; Zeng, Z.; Liao, Z.; Chen, Y.: Novel Reactive Diluents for UV/Moisture Dual-Curable Coatings, 1500
Qian, H.-L. See Chen, M., 591
Qiao, G. G. See Kwok, A. Y., 1462
Qin, T.-f. See Tohmura, S.-i., 791
Qing, F.-L. See Jiang, W.-C., 222
Qu, H. See Xu, J., 1469
Qu, L. See Ma, M., 2550
Qu, R. See Hou, C., 1708
Qu, X. See Liu, G., 1010; Liu, G., 1932
Qun, W. See Hou, C., 1708
Qusay, F. A. See Wei, Y.-M., 247

Rafiemanzelat, F. See Mallakpour, S., 1781
Ragauskas, A. J. See Vander Wielen, L. C., 2219
Raghavan, D. See Tesema, Y., 1916
Raghu, A. V.
—; Gadaginamath, G. S.; Aminabhavi, T. M.: Synthesis and Characterization of Novel Polyurethanes Based on 1,3-Bis(hydroxymethyl) Benzimidazolin-2-one and 1,3-Bis(hydroxymethyl) Benzimidazolin-2-thione Hard Segments, 2236
Rajoo, R. See Priyadarshi, A., 950
Raju, K. M. See Mohan, Y. M., 302
Ramaraj, B.
—; Poomalai, P.: Development of Potentially Biodegradable Polyamide-6 and Polyvinyl Alcohol Blends: Physico-Mechanical Properties, Thermal Properties, and Soil Test, 2339
Ramaswamy, G. N. See Park, J. H., 322
Rana, A. K. See Ray, D., 557
Rao, P. S.
—; Subrahmanya, S.; Sathyanarayana, D. N.: Water-Soluble Conductive Blends of Polyaniline and Poly(vinyl alcohol) Synthesized by Two Emulsion Pathways, 583
Raslan, W. M.
—; Bendak, A.: Changes Induced in Silk-Like Polyester Properties by Alkoxides Treatment, 1829
Rattanasom, N.
—; Suchiva, K.: Rheological and Processing Properties of Purified Natural Rubber, 456
Raval, D. K.
—; Narola, B. N.; Patel, A. J.: Preparation, Characterization, and Composites from Low Formaldehyde Emission Urea–Formaldehyde–Casein Copolymer, 531
Ray, D.
—; Rana, A. K.; Bose, N. R.; Sengupta, S. P.: Effect of Guar-Gum Treatment on Mechanical Properties of Vinylester Resin Matrix Composites Reinforced with Jute Yarns, 557
Reboredo, M. M. See Acha, B. A., 639
Rego, J. M.
—; Berglund, C.; Welsh, G.; White, M.: Rheological Properties of Styrene-*co*-2-Furfuryl Methacrylate Copolymers, 1062
Reichelt, R. See Theiss, D., 2253
Reichert, K.-H. See Abboud, M., 2191
Reichert, V. R. See Basu, S. K., 116
Reinhardt, G. See Pompe, G., 1308
Rempel, G. L. See Arayapranee, W., 34
Ren, H.
—; Wang, Y.; Lei, Z.: Synthesis and Fluorescence Properties of Aromatic-Aliphatic Copolyamides, 315
Ren, J.
—; Hong, H.; Song, J.; Ren, T.: Particle Size and Distribution of Biodegradable Poly-D,L-lactide-*co*-Poly(ethylene glycol) Block Polymer Nanoparticles Prepared by Nanoprecipitation, 1884
Ren, T. See Ren, J., 1884
Ren, Y.
—; Pan, H.; Li, L.; Xia, J.; Yang, Y.: Synthesis of Polyurethane Acrylates by Hydrogenated Castor Oil and Dimer-Based Polyester Diol and Study on Pressure-Sensitive Adhesive, 1814
Rendon, S. See Bubeck, R. A., 2473
Retna, A. M. See Mythili, C. V., 284
Reyes-Melo, E.
—; Martinez-Vega, J.; Guerrero-Salazar, C.; Ortiz-Mendez, U.: Application of Fractional Calculus to the Modeling of Dielectric Relaxation Phenomena in Polymeric Materials, 923
Reyna-Valencia, A.
—; Kaliaguine, S.; Bousmina, M.: Tensile Mechanical Properties of Sulfonated Poly(Ether Ether Ketone) (SPEEK) and BPO_4/SPEEK Membranes, 2380
Riedl, B. See Xing, C., 2027
Rivas, B. L. See Jeria, M., 1897; Moreno-Villoslada, I., 598; Pizarro, G. d. C., 1903
—; Pooley, S. A.; Brovelli, F.; Pereira, E.; Basaez, L.; Osorio, F.; Moutet, J.-C.; Saint-Aman, E.: Synthesis and Properties of Polymer Film Modified Electrodes to Detect Metal Ions, 1192
—; Villegas, S.: Resins Containing Amino and Carboxylic Acid Groups. Synthesis, Characterization, and Metal Ion Retention Properties, 525
Rocha, T. C. J. See Coutinho, F. M. B., 2539
Rodríguez, A. See González, L., 1219
Rodríguez, M. See Laza, J. M., 818
Rodríguez-Núñez, E. See Fraga, F., 2003
Rogunova, M. See Yu, J., 1799
Roncaglia, A. J. See Goyanes, S. N., 891
Rong, M. Z. See Hu, J. W., 1517
Rostami, A. A. See Ghaemy, M., 1540
Roussy, J.
—; Van Vooren, M.; Guibal, E.: Influence of Chitosan Characteristics on Coagulation and Flocculation of Organic Suspensions, 2070
Royall, P. G. See Jones, S. A., 2290
Rubiolo, G. H. See Goyanes, S. N., 891
Rullens, F. See Kudaibergenov, S. E., 2101

Saavedra, F. See Goyanes, S. N., 891
Sabia, A. R. See Bonini, C., 1451
Saccani, A.
—; Motori, A.; Montanari, G. C.: Short-Term Thermal Endurance Evaluation of Thermoplastic Polyesters by Isothermal and Nonisothermal Thermogravimetric Analysis, 968
Saäihi, D.
—; El-Achari, A.; Vroman, I.; Périchaud, A.: Antibacterial Activity of Modified Polyamide Fibers, 997
Saint-Aman, E. See Rivas, B. L., 1192

Sakamoto, W. K. See Malmonge, J. A., 746
Sakar, D.
—; Cankurtaran, O.; Karaman, F. Y.: Thermodynamic Interactions of a Copolyester of Bisphenol A with Terephthalic Acid and Isophthalic Acid with Some Solvents, 2365
Samil, A.
—; Alma, M. H.; Acemioğlu, B.: Dissolution of Condensed Tannin with Phenol: Optimum Reaction Parameters and Some Flow Properties, 2450
Sandaran, S. See Kishore, 687
Sanderson, F. D. See Jones, D. S., 852
Sanghi, R. See Singh, V., 1652
Sankaran, S. See Kishore, 673; Kishore, 680
Sapurina, I. See Stejskal, J., 2347
Sarac, A.
—; Keklik, M.; Yildiz, Ö.; Yildirim, H.: Emulsion Copolymerization of Vinyl Acetate and 2-Ethyl Hexyl Acrylate Using Nonionic Emulsifiers in Loop Reactor, 1380
Saraswathi, R. See Sivakkumar, S. R., 917
Sari, B. See Gök, A., 2048; Gök, A., 2440
Sathyanarayana, D. N. See Rao, P. S., 583
Sato, T.
—; Uchida, R.; Tanigawa, H.; Uno, K.; Murakami, A.: Application of Polymer Gels Containing Side-Chain Phosphate Groups to Drug-Delivery Contact Lenses, 731
Sawada, H.
—; Yoshioka, H.; Kawase, T.; Takahashi, H.; Abe, A.; Ohashi, R.: Synthesis and Applications of a Variety of Fluoroalkyl End-Capped Oligomers/Silica Gel Polymer Hybrids, 169
Sawada, Y. See Hiwatashi, T., 1235
Sawai, S. See Matsunaga, K., 2144
Schiraldi, D. A. See Liu, R. Y. F., 1615
Schlatter, G. See Serra, C., 1978
Schmidt, T. See Theiss, D., 2253
Schneider, F.
—; Piletsky, S.; Piletska, E.; Guerreiro, A.; Ulbricht, M.: Comparison of Thin-Layer and Bulk MIPs Synthesized by Photoinitiated In Situ Crosslinking Polymerization from the Same Reaction Mixtures, 362
Schoen, P. E. See Chiou, B. S., 53
Scriven, L. E. See Basu, S. K., 116
Semba, T.
—; Kitagawa, K.; Nakagawa, M.; Ishiaku, U. S.; Hamada, H.: Study on Morphology Development for In situ Fiber–Reinforced Composites by Blending Polyolefin and Polycaprolactone, 500
Sengupta, S. P. See Ray, D., 557
Seoudi, R.
—; Nada, A. M. A.; Abd Elmongy, S.; Hamed, S. S.: Fourier Transform Infrared Spectroscopic and AC Electrical Conductivity Studies of Chitin and Its Derivatives, 936
Serra, C.
—; Bouquey, M.; Schlatter, G.; Muller, R.: Rheological Behavior of Reactive Miscible Polymer Blends: Influence of Mixing and Annealing Before Crosslinking, 1978
Shabeer, A.
—; Garg, A.; Sundararaman, S.; Chandrashekhara, K.; Flanigan, V.; Kapila, S.: Dynamic Mechanical Characterization of a Soy Based Epoxy Resin System, 1772
Shankar, R. See Kishore, 673; Kishore, 680; Kishore, 687
Shashidhara, G. M.
—; Guruprasad, K. H.: Effect of Concentrated Sulfuric Acid and Nitroethane on Insoluble Residues in Acetylating Medium of Cellulose Acetate Prepared from Low Grade Pulps, 1765
Shen, Z. See Jiang, L., 1558; Wang, G., 1511; Zheng, P., 83
Shi, G. See Ma, M., 2550
Shi, R. See Liu, Q., 2033
Shimin, L. See Priyadarshi, A., 950
Shimpi, N. G. See Mishra, S., 2563
Shin, K. S. See Hong, B. T., 1180
Shinouda, H. G.
—; Moteleb, M. M. A.: Dielectric Spectroscopy and Relaxation Phenomena of Moistened and Dry Polysaccharides, 571
Shoji, S. See Matoba, Y., 825
Shyu, S.-S. See Yu, S.-H., 538
Siddaramaiah
—; Bhattacharya, A. K.; Nando, G. B.: Studies on Miscibility of Blends of Poly (Ethylene Acrylic Acid) and Ethylene-*co*-Vinyl Acetate by Melt Rheology, 1947
Silva, G. G. See Silva, M. C., 336
Silva, M. C.
—; Silva, G. G.: A New Composite from Cellulose Industrial Waste and Elastomeric Polyurethane, 336
Singh, B. See Chauhan, G. S., 373
Singh, V.
—; Tiwari, A.; Sanghi, R.: Studies on $K_2S_2O_8$/Ascorbic Acid Initiated Synthesis of *Ipomoea dasysperma* Seed Gum-*g*-Poly(acrylonitrile): A Potential Industrial Gum, 1652
Singha, N. K.
—; German, A. L.: Atom Transfer Radical Polymerization of Styrene Using a Copper Catalyst with a Pseudohalogen Anion, 1418
Sivakkumar, S. R.
—; Angulakshmi, N.; Saraswathi, R.: Characterization of Poly(Indole-5-Carboxylic Acid) in Aqueous Rechargeable Cells, 917
Sluga, F. See Gregor-Svetec, D., 1
Soares, B. G. See Coutinho, F. M. B., 2539
Sokkar, T. Z. N. See Belal, A. E., 1135
Solomon, D. H. See Kwok, A. Y., 1462
Somani, R. H. See Larin, B., 1113
Song, H. See Gao, C., 1761
Song, J. See Ren, J., 1884
Song, J. K. See Joo, Y. L., 718
Sonnenschein, G. F. See Sonnenschein, M. F., 449
Sonnenschein, M. F.
—; Wendt, B. L.; Sonnenschein, G. F.: Interfacial Factors Affecting Polymeric Diphenylmethane Diisocyanate/Wood Bond Strength, 449
Sonoda, O. See Matsunaga, K., 2144
Sreeramulu, J. See Mohan, Y. M., 302
Srivastava, A. K. See Tripathi, S., 1838
Stejskal, J.
—; Trchová, M.; Sapurina, I.: Flame-Retardant Effect of Polyaniline Coating Deposited on Cellulose Fibers, 2347
Stephen, R.
—; Thomas, S.; Joseph, K.: Gas Permeation Studies of Natural Rubber and Carboxylated Styrene–Butadiene Rubber Latex Membranes, 1125
Strandberg, C.
—; Albertsson, A.-C.: Process Efficiency and Long-Term Peformance of α-Tocopherol in Film-Blown Linear Low-Density Polyethylene, 2427

Stubbs, J., III. See Tesema, Y., 1916
Subrahmanya, S. See Rao, P. S., 583
Subramani, S.
—; Lee, J. M.; Cheong, I. W.; Kim, J. H.: Synthesis and Characterization of Water-Borne Crosslinked Silylated Polyurethane Dispersions, 620
Subramania, A.
—; Sundaram, N. T. K.; Priya, A. R.; Gangadharan, R.; Vasudevan, T.: Preparation of a Microporous Gel Polymer Electrolyte with a Novel Preferential Polymer Dissolution Process for Li-Ion Batteries, 1891
Suchiva, K. See Rattanasom, N., 456
Summers, J. See Yu, J., 1799
Sun, C. See Xi, D., 1457
Sun, D. See Deng, L., 2116; Peng, Q., 864
Sun, J.
—; Wang, Q.: Effects of the Oxidation Temperature on the Structure and Properties of Polyacrylonitrile-Based Activated Carbon Hollow Fiber, 203
Sun, K. See Choi, Y. S., 2314
Sun, L. See Sun, Y., 474
Sun, S. See Zhao, C., 1668
Sun, W. See Jiang, L., 1558; Zheng, P., 83
Sun, Y.
—; Wang, Q.; Li, X.; Chen, X.; Ma, Y.; Zhang, Q.; Jin, X.; Jiang, Y.; Sun, L.; Luo, Q.: Investigation on Dry Spinning Process of Ultrahigh Molecular Weight Polyethylene/Decalin Solution, 474
Sundaram, N. T. K. See Subramania, A., 1891
Sundararaman, S. See Shabeer, A., 1772

Tajima, M. See Matsunaga, K., 2144
Tajvidi, M.
—; Static and Dynamic Mechanical Properties of a Kenaf Fiber–Wood Flour/Polypropylene Hybrid Composite, 665
Takahashi, H. See Sawada, H., 169
Talu, M. See Gök, A., 2048; Gök, A., 2440
Tamura, T. See Matsushita, Y., 2508
Tan, C.-S.
—; Kuo, T.-W.: Synthesis of Polycarbonate-Silica Nanocomposites from Copolymerization of CO_2 with Allyl Glycidyl Ether, Cyclohexene Oxide, and Soi-Gel, 750
Tan, K. See Wang, Y.-J., 1344
Tang, B.
—; Wu, D.; Xu, T.: Effect of PEG Additives on Properties and Morphologies of Membranes Prepared from Poly(2,6-dimethyl-1,4-phenylene oxide) by Benzyl Bromination and In Situ Amination, 2414
Tang, J.-W. See Hsiao, K.-J., 550
Tang, W.
—; Chen, D.; Yang, Z.; Zhang, A.; Peng, Y.: Thermal Characterization and Thermal Degradation of Copolyimides Containing Fluorine and Phosphine Oxide, 2139
Tang, Z.
—; Yang, Y.; Pang, X.; Hu, J.; Chen, X.; Hu, N.; Jing, X.: Controlled and Stereospecific Polymerization of *rac*-Lactide with A Single-Site Ethyl Aluminum and Alcohol Initiating System, 102
Tanigawa, H. See Sato, T., 731
Tao, X. M. See Xue, P., 1844
Tao, Z.
—; Huang, J.-C.: Study on the Melt Fracture of Metallocene Poly(Ethylene-Octene) in Capillary Flow, 903
Taromi, F. A. See Jannesari, A., 1594
Terlemezyan, L. See Mokreva, P., 1822
Tesema, Y.
—; Raghavan, D.; Stubbs, J., III: Bone Cell Viability on Methacrylic Acid Grafted and Collagen Immobilized Porous Poly(3-hydroxybutrate-*co*-3-hydroxyvalerate), 1916
Theiss, D.
—; Schmidt, T.; Dorschner, H.; Reichelt, R.; Arndt, K.-F.: Filled Temperature-Sensitive Poly(vinyl methyl ether) Hydrogels, 2253
Thielemans, W.
—; McAninch, I. M.; Barron, V.; Blau, W. J.; Wool, R. P.: Impure Carbon Nanotubes as Reinforcements for Acrylated Epoxidized Soy Oil Composites, 1325
Thomas, L. S. See Bubeck, R. A., 2473
Thomas, S. See Mathew, A. P., 2017; Stephen, R., 1125
Tian, C. See Xu, J., 1469
Tian, K. See Xie, K., 1922
Tian, M. See Liu, Q., 2033
Tiwari, A. See Singh, V., 1652
Tobprakhon, A. See Nakason, C., 1251
Tohmura, S.-i.
—; Li, G.-y.; Qin, T.-f.: Preparation and Characterization of Wood Polyalcohol-Based Isocyanate Adhesives, 791
Tong, X. See Yang, J., 1087
Toppare, L. See Kıralp, S., 521
Trchová, M. See Stejskal, J., 2347
Tripathi, S.
—; Srivastava, A. K.: Synthesis and Characterization of Copolymer of Styrene with Methacrylic Acid Initiated by Triphenylbismuthonium 1,2,3,4-Tetraphenylcyclopentadienylide, 1838
Trombetta, T.
—; Iengo, P.; Turri, S.: Fluorinated Segmented Polyurethane Anionomers for Water–Oil Repellent Surface Treatments of Cellulosic Substrates, 1364
Tseng, H.-H. See Chen, S.-C., 1969
Tsocheva, D. See Mokreva, P., 1822
Tsou, C.-H. See Chen, H.-E., 2555
Tsujii, T. See Yamaguchi, S., 294
Tsujita, Y. See Kanekura, K., 1955
Tsukigase, A. See Hasegawa, N., 1554
Tsutida, K. See Lu, R., 1055
Turri, S. See Trombetta, T., 1364

Uchida, R. See Sato, T., 731
Uchida, T.
—; Kumar, S.: Single Wall Carbon Nanotube Dispersion and Exfoliation in Polymers, 985
Ulbricht, M. See Schneider, F., 362
Umapathy, S. See Vivekanandam, T. S., 1548
Umar, Y.
—; Abu-Sharkh, B. F.; Ali, S. A.: The Effects of Zwitterionic and Anionic Charge Densities in Polymer Chains on the Viscosity Behavior of a pH-Responsive Hydrophobically Modified Ionic Polymer, 1404
Uno, K. See Sato, T., 731
Usuki, A. See Hasegawa, N., 1554

Valencia, P. See Jeria, M., 1897
Valentín, J. L. See González, L., 1219
Vander Wielen, L. C.
—; Östenson, M.; Gatenholm, P.; Ragauskas, A. J.: Mechanism of Dielectric-Barrier Discharge Initiated Wet-Strength Development, 2219
Van Vooren, M. See Roussy, J., 2070
Varghese, H. See Mathew, A. P., 2017

Vasudevan, T. See Subramania, A., 1891; Vivekanandam, T. S., 1548
Verstegen, E. J. K.
—; Kloosterboer, J. G.; Lub, J.: Synthesis and Photopolymerization of Oxetanes Derived from Bisphenol A, 1697
Vicini, S. See Princi, E., 1157
Vilas, J. L. See Laza, J. M., 818
Vílchez, S.
—; Jovancic, P.; Manich, A. M.; Julià, M. R.; Erra, P.: Chitosan Application on Wool Before Enzymatic Treatment, 1938
Villegas, S. See Rivas, B. L., 525
Vishwakarma, N. See Bajpai, A. K., 42
Viswanathan, T. See Bourdo, S. E., 29
Vivekanandam, T. S.
—; Gopalan, A.; Vasudevan, T.; Umapathy, S.: Sonochemical Cyclopolymerization of Diallylamine in the Presence of Peroxomonosulfate, 1548
Vlček, J. See Zatloukal, M., 153
Voigt, D. See Pompe, G., 1308
Vorobieva, E. V. See Lin, D. G., 401
Vroman, I. See Saäihi, D., 997

Wang, A. See Li, A., 1351
Wang, C. See Hou, C., 1708
Wang, C.-C.
—; Chen, C.-C.: Anti-Bacterial and Swelling Properties of Acrylic Acid Grafted and Collagen/Chitosan Immobilized Polypropylene Non-Woven Fabrics, 391
Wang, G.
—; Shen, Z.; Li, X.; Li, C.: Melt Processable Conducting Poly(aniline-*co*-*o*-anisidine)/Linear Low-Density Polyethylene Composites with Ethylene-Acrylic Acid Copolymer as Compatibilizer, 1511
Wang, G. Y. See Ding, L., 880
Wang, H. See Xu, Q., 831
—; Radiation-Induced Grafting of Pentamethyl Hindered Amine Light Stabilizer 1,2,2,6,6-Pentamethyl-4-piperidinyl Methacrylate onto Polypropylene, 2157
Wang, H.-J.
—; Chen, K.-M.: Preparation and Surface Activity of Biodegradable Polymeric Surfactants. I. Preparation and Surface Activity of Dextrin Derivatives, 711
Wang, J. See Jiang, G., 1106; Yang, J., 1087
Wang, L. See Jiang, G., 1106; Zhang, A., 2109
Wang, M.-Z. See He, X.-D., 860
Wang, P. X. See Xu, K., 1050
Wang, Q. See Li, L., 774; Sun, J., 203; Sun, Y., 474
Wang, R. See Jiang, T., 1296; Li, L., 774
Wang, S. See Li, Y., 1142
—; Zhang, Y.; Peng, Z.; Zhang, Y.: New Method for Preparing Polybutadiene Rubber/Clay Composites, 227
Wang, X. See Wang, X., 216
—; Wang, Z.; Wang, X.: Preparation and Characterization of Linear Low-Density Polyethylene/Low-Density Polyethylene/TiO_2 Membranes, 216
Wang, X.-P. See Xu, J.-T., 632
Wang, Y. See Jing, X., 2149; Li, Y., 1150; Ren, H., 315; Yang, Z., 407
—; Hu, J.-S.; Zhang, B.-Y.; Jiang, T.-Y.: New Thermochromic Liquid–Crystalline Polymer: Synthesis and Phase Behavior, 329
—; Zhao, Q.; Liu, M.; Wang, Z.; Liu, Y.; Cao, S.; Zhao, T.: Steady Flow and Dynamic Viscoelastic Behavior of Nylon 1313 Using Parallel-Plate Rheometer and Capillary Rheometer, 1643
Wang, Y.-F. See Liu, Y., 1300
Wang, Y.-J.
—; Pan, Y.; Zhang, X.-W.; Tan, K.: Impedance Spectra of Carbon Black Filled High-Density Polyethylene Composites, 1344
Wang, Z. See Li, X., 2481; Wang, X., 216; Wang, Y., 1643; Zong, R., 1172
Warley, R. L.
—; Feke, D. L.; Manas-Zloczower, I.: Transient Effects in Dynamic Modulus Measurement of Silicone Elastomers 1. Zero Mean Strain Measurements, 1001
Watanabe, M.
—; Hara, A.: Selection of a Liquid for Swelling the Gel Coating of Electrodes for Electrohydrodynamic Pumping, 1996
Wêglowska, E.
—; Lubczak, J.: Polyetherols from Isocyanuric Acid and Propylene Carbonate, 2130
Wei, M.-H.
—; Lee, C.-H.; Chang, C.-C.; Chen, W.-C.: Tunable Near-Infrared Optical Properties Based on Poly(methyl Methacrylate)–Oxide Waveguide Materials, 1224
Wei, P. See Li, Q., 2487
Wei, Y.-M.
—; Xu, Z.-L.; Qusay, F. A.; Wu, K.: Polyvinyl Alcohol/Polysulfone (PVA/PSF) Hollow Fiber Composite Membranes for Pervaporation Separation of Ethanol/Water Solution, 247
Welsh, G. See Rego, J. M., 1062
Wen, X. See Zhao, C., 1674
Wendt, B. L. See Sonnenschein, M. F., 449
White, J. L. See Choi, C.-H., 130
White, J. R. See Abdelkader, A. F., 2544
White, M. See Rego, J. M., 1062
Wicks, D. A. See Nanda, A. K., 2514
Wong, E. H. See Priyadarshi, A., 950
Wool, R. P. See Thielemans, W., 1325
Woolfson, A. D. See Jones, D. S., 852
Wu, D. See Tang, B., 2414
Wu, D.-S. See Liu, J.-H., 88
Wu, H.-H. See Chen, L.-P., 109
Wu, J.-H. See Chiu, H.-T., 1206
Wu, K. See Wei, Y.-M., 247
Wu, L. See Li, F., 1119; Li, F., 2274; Peng, M., 1358
Wu, S. S. See Ding, L., 880
Wu, T.-M.
—; Chu, M.-S.: Preparation and Characterization of Thermoplastic Vulcanizate/Silica Nanocomposites, 2058
Wu, W.-J. See Xu, D.-M., 341
Wu, Y.-B. See Yu, S.-H., 538
Wu, Z. See Jiang, B., 2094

Xi, D.
—; Yang, C.; Liu, X.; Chen, M.; Sun, C.; Xu, Y.: Graft Polymerization of Styrene on Soy Protein Isolate, 1457
Xia, J. See Ren, Y., 1814
Xiao, D. S. See Hu, J. W., 1517
Xiao, L. J. See He, X.-Z., 383
Xiao, W.-Q. See He, X.-Z., 383
Xiaohui, Y. See Jiajia, S., 238
Xie, D. See Xie, H.-Q., 1607
Xie, H.-Q.
—; Zhan, X.-G.; Xie, D.: Study on Esterification of Acrylic Phenolic Resin by Maleic Anhydride and Photocrosslinking Properties of the Alkali-Soluble Product, 1607
Xie, K.
—; Hou, A.; Tian, K.: Study on the Leveling Properties of Derivatives of Polyethylene Glycol for Supermilling Acid Dyes on Wool Fabrics, 1922

Xie, L. See Gao, C., 1761
Xie, T.
—; Chen, F.: Fast Liquefaction of Bagasse in Ethylene Carbonate and Preparation of Epoxy Resin from the Liquefied Product, 1961
Xing, C.
—; Deng, J.; Zhang, S. Y.; Riedl, B.; Cloutier, A.: Differential Scanning Calorimetry Characterization of Urea–Formaldehyde Resin Curing Behavior as Affected by Less Desirable Wood Material and Catalyst Content, 2027
Xinling, W. See Jiajia, S., 238
Xu, D.-M.
—; Zhang, K.-D.; Wu, W.-J.: Synthesis and Characterization of Stearyl-Group-Terminated Dendrimers and Thermosensitivity of Their Toluene Solutions, 341
Xu, H. See Peng, Q., 864
—; Li, Y.; Yu, D.: Studies on the Poly-(Styrene-*b*-Butadiene-*b*-Styrene)/Clay Nanocomposites Prepared by Melt Intercalation, 146
Xu, J. See Chi, Z., 2467
—; Zhang, C.; Qu, H.; Tian, C.: Zinc, Hydroxystannate and Zinc Stannate as Flame-Retardent Agents for Flexible Poly(vinyl chloride), 1469
Xu, J.-T. See Fu, Z.-S., 195
—; Fu, Z.-S.; Wang, X.-P.; Geng, J.-S.; Fan, Z.-Q.: Effect of the Structure on the Morphology and Spherulitic Growth Kinetics of Polyolefin In-Reactor Alloys, 632
—; Jin, W.; Fan, Z.-Q.: Synthesis and Characterization of Low-Molecular-Weight Hydrogenated Polybutadiene-*b*-Poly(ethylene glycol) Block Copolymers, 208
—; Jin, W.; Fu, Z.-S.; Fan, Z.-Q.: Composition Distributions of Different Particles of a Polypropylene/Poly(ethylene-*co*-propylene) In Situ Alloy Analyzed by Temperature-Rising Elution Fractionation, 243
Xu, K.
—; Zhang, W. D.; Yue, Y. M.; Wang, P. X.: Swelling Behaviors of a Three-Component Copolymer (Starch Graft Sodium Acrylate and 2-Acrylamido-2-methyl-propanosulfonic Acid) Synthesized by Microwave Polymerization, 1050
Xu, L. See Hua, J., 1215; Jiang, L., 1558
Xu, Q. See Peng, Q., 864
—; Pang, M.; Peng, Q.; Jiang, Y.; Li, J.; Wang, H.; Zhu, M.: Effect of Different Experimental Conditions on Biodegradable Polylactide Membranes Prepared with Supercritical CO_2 as Nonsolvent, 831
Xu, T. See Tang, B., 2414
Xu, T. W. See Hu, K. Y., 494
Xu, X. F.
—; Yang, H. D.; Zhang, H. X.: Effects of the Polybutadiene/Poly(styrene-*co*-acrylonitrile) Ratio in a Polybutadiene-*g*-Poly(styrene-*co*-acrylonitrile) Impact Modifier on the Morphology and Mechanical Behavior of Acrylonitrile–Butadiene–Styrene Blends, 2165
Xu, Y. See Xi, D., 1457
Xu, Y.-S. See Yuan, C.-D., 1505
Xu, Z.-L. See Wei, Y.-M., 247
Xue, P.
—; Tao, X. M.: Morphological and Electromechanical Studies of Fibers Coated with Electrically Conductive Polymer, 1844
Xu-Ming, W. See Jiu-Rong, C., 2369

Yamaguchi, S.
—; Leong, Y. W.; Tsujii, T.; Mizoguchi, M.; Ishiaku, U. S.; Hamada, H.: Effect of Crystallization and Interface Formation Mechanism on Mechanical Properties of Film-Insert Injection-Molded Poly(propylene) (PP) Film/PP Substrate, 294
Yamashita, Y.
—; Endo, T.: Biodegradation Behavior of Acid-Containing Cellulose Acetate Film in Soil, 466
Yan, C.
—; Ma, L.; Yang, J.: Preparation of Polystyrene/Montmorillonite Nanocomposites in Supercritical Carbon Dioxide, 22
Yan, D., 1565, Cui, X.
Yan, L.
—; Spinodal Dewetting–A Simple Method to Prepare Conjugated Polymer Array, 1412
Yang, C. See Xi, D., 1457; Zhang, D., 347
Yang, C.-Y.
—; Hsu, S. L.-C.; Chen, J. S.: Synthesis and Properties of 6FDA-BisAAF-PPD Copolyimides for Microelectronic Applications, 2064
Yang, G. See Li, Y., 2172
Yang, H. See Hua, J., 1215
Yang, H. D. See Xu, X. F., 2165
Yang, J. See Qi, Y., 1500; Yan, C., 22
—; Lin, Y.; Wang, J.; Lai, M.; Li, J.; Liu, J.; Tong, X.; Cheng, H.: Morphology, Thermal Stability, and Dynamic Mechanical Properties of Atactic Polypropylene/Carbon Nanotube Composites, 1087
Yang, J. S.
—; Cho, S. M.; Kim, B. K.; Narkis, M.: Structured Polyurethanes for Oil Uptake, 2080
Yang, K. See Zhao, C., 1668; Zhao, C., 1674
Yang, S.-M. See Lin, D.-S., 1198
Yang, T.-C.
—; Li, C.-F.; Chou, S.-S.; Chou, C.-C.: Adsorption of Metal Cations by Water-Soluble N-Alkylated Disaccharide Chitosan Derivatives, 564
Yang, W. H. See Hu, K. Y., 494
Yang, Y. See Ren, Y., 1814; Tang, Z., 102
Yang, Z. See Jiang, B., 2094; Tang, W., 2139
—; Liu, L.; Zhang, L.; Wang, Y.: Preparation and Adsorption Behavior of Macrocyclic Tetra-amine Derivatives of Chitosan, 407
Yao, C. See Deng, L., 2116
Yao, W.-H. See Chen, H.-E., 2555
Yao, X. See Chi, Z., 2467
Yassien, K. M. See Belal, A. E., 1135
Yeh, H.-Y. See Chou, Y.-C., 2329
Yildirim, H. See Sarac, A., 1380
Yildiz, Ö. See Sarac, A., 1380
Yılmaz, O.
—; Baranak, M.; Güner, F. S.; Erciyes, A. T.: The Usage of Linseed Oil-Based Polyurethanes as a Rheological Modifier, 1032
Yilmazer, U. See Basara, C., 1081; Gulmus, S. A., 439
Yin, J.
—; Zhang, Yong; Zhang, Yinxi: Fracture Behavior and Deformation Mechanism of Polypropylene/Ethylene–Octene Copolymer/Magnesium Hydroxide Ternary Phase Composites, 957
Ying, L. See Hou, C., 1708
Yokoe, M.
—; Aoi, K.; Okada, M.: Biodegradable Polymers Based on Renewable

Resources VIII. Environmental and Enzymatic Degradability of Copolycarbonates Containing 1,4 : 3,6-Dianhydrohexitols, 1679
Yoon, J. D. See Cha, S. W., 289
Yoon, J.-S. See Chen, G.-X., 1727; Jang, L. W., 1229; Lee, C. M., 886
Yoshida, J. See Onishi, Y., 9
Yoshida, Y. See Matsunaga, K., 2144
Yoshimizu, H. See Kanekura, K., 1955
Yoshioka, H. See Sawada, H., 169
Young, T.-H. See Lin, K.-F., 2042
Yu, D. See Xu, H., 146
Yu, H. See Jiang, G., 1106
Yu, J.
—; Zhang, L. Q.; Rogunova, M.; Summers, J.; Hiltner, A.; Baer, E.: Conductivity of Polyolefins Filled with High-Structure Carbon Black, 1799
Yu, P. H. F. See Chen, C., 736
Yu, S.-H.
—; Mi, F.-L.; Wu, Y.-B.; Peng, C.-K.; Shyu, S.-S.; Huang, R.-N.: Antibacterial Activity of Chitosan–Alginate Sponges Incorporating Silver Sulfadiazine: Effect of Ladder-Loop Transition of Interpolyelectrolyte Complex and Ionic Crosslinking on the Antibiotic Release, 538
Yuan, C., 1565, Cui, X.
Yuan, C.-D.
—; Miao, A.-H.; Cao, J.-W.; Xu, Y.-S.; Cao, T.-Y.: Preparation of Monodispersed Hollow Polymer Particles by Seeded Emulsion Polymerization under Low Emulsifier Conditions, 1505
Yue, Y. M. See Xu, K., 1050
Yunhang, L. See Jiajia, S., 238

Zabetakis, D. See Chiou, B. S., 53
Zaidi, S. A. R. See Ali, S. W., 1927
Zatloukal, M.
—; Kopytko, W.; Lengálová, A.; Vlček, J.: Theoretical and Experimental Analysis of Interfacial Instabilities in Coextrusion Flows, 153
Zeng, Z. See Qi, Y., 1500
Zhan, X.-G. See Xie, H.-Q., 1607
Zhang, A. See Tang, W., 2139
—; Wang, L.; Lin, Y.: Preparation of Sulfur-Modified Powdered Polychloroprene Rubber by Inverse Coagulation, 2109
Zhang, B. See Jing, X., 2149
Zhang, B.-L. See Chen, M., 591
Zhang, B.-Y. See He, X.-Z., 383; Jia, Y.-G., 1712; Wang, Y., 329
Zhang, C. See Xu, J., 1469
Zhang, D.
—; Jiang, X.; Yang, C.: Preparation of Polydimethylsiloxane Nanolatices by Emulsion Polymerization in a Water–Aminoethanol System, 347
Zhang, H. X. See Xu, X. F., 2165
Zhang, K.-D. See Xu, D.-M., 341
Zhang, L. See Liu, G., 1010; Liu, G., 1932; Liu, Q., 2033; Yang, Z., 407
Zhang, L. Q. See Yu, J., 1799
Zhang, M. Q. See Hu, J. W., 1517
Zhang, Q. See Liang, H., 912; Sun, Y., 474
Zhang, S. Y. See Xing, C., 2027
Zhang, T. See Jiang, T., 1296
Zhang, W.-A.
—; Fang, Y.-E.: Enhancement of Radiation-Resistant Effect in Ethylene–Vinyl Acetate Copolymers by the Formation of Ethylene–Vinyl Acetate Copolymers/Clay Nanocomposites, 2532
Zhang, W. D. See Xu, K., 1050
Zhang, X. See Jiang, B., 2094; Li, J., 1016
Zhang, X.-W. See Wang, Y.-J., 1344
Zhang, Y. See Chi, Z., 2467; Li, Y., 2172; Wang, S., 227
Zhang, Y.-Z. See Fu, Z.-S., 195
Zhang, Yinxi. See Li, Y., 1142; Yin, J., 957
Zhang, Yong. See Li, Y., 1142; Yin, J., 957
Zhang, Z.-C. See He, X.-D., 860
Zhao, C. See Li, X., 2481
—; Sun, S.; Yang, K.; Nomizu, M.; Nishi, N.: DNA-Loaded Porous Polyethersulfone Particles for Environmental Applications. I. Preparation, 1668
—; Yang, K.; Wen, X.; Li, F.; Zheng, B.; Nomizu, M.; Nishi, N.: DNA-Loaded Porous Polyethersulfone Particles for Environmental Applications. II. Utilization, 1674
Zhao, F. See Jiang, T., 1296
Zhao, N. See Li, J., 1016
Zhao, Q. See Wang, Y., 1643
Zhao, T. See Wang, Y., 1643
Zheng, B. See Zhao, C., 1674
Zheng, P.
—; Jiang, L.; Sun, W.; Shen, Z.: Synthesis and Magnetic Properties of Novel Poly(*N*-2-thiazolyl(meth)acrylamide)-Fe(II) Complexes, 83
Zheng, Q. See Hu, J. W., 1517; Peng, M., 1358
Zheng, Z. See Liang, H., 912
Zhong, H. See Li, Q., 2487
Zhou, H. See Joo, Y. L., 718
Zhou, H.-L. See Chen, M., 591
Zhou, Q.
—; Gong, Y.; Gao, C.: Microstructure and Mechanical Properties of Poly(L-lactide) Scaffolds Fabricated by Gelatin Particle, 1373
Zhou, S. See Li, F., 1119; Li, F., 2274
Zhou, Y. See Jiang, B., 2094
Zhu, M. See Xu, Q., 831
Zhu, Z. See Liang, L., 1477
Zong, R.
—; Wang, Z.; Liu, N.; Hu, Y.; Liao, G.: Thermal Degradation Kinetics of Polyethylene and Silane-Crosslinked Polyethylene, 1172
Zou, H. See Guan, R., 1244
Zümreoglu-Karan, B. See Öztürk, Ö. F., 490

Journal of Applied Polymer Science

Subject Index to Volume 98

Acid dyes, 1922
Acrylamide, 1351
Acrylamide/potassium acrylate, 1927
Activated carbon hollow fiber, 203
Activation energy, 796, 1172, 1838, 2027, 2139, 2555
Additives, 264, 2414
Adhesion, 484, 838, 2058
Adhesives, 449, 791, 1165, 1814
Adsorption, 42, 203, 407, 1879, 2555
Ageing, 1492, 2427
Aggregation state, 163
Akshabulak crude oil, 2101
Alkoxide, 1829
Alkoxysilane, 1296
Alkylation, 1016
Alloys, 195, 243, 632
Amine, 401
Amorphous, 825, 1955
Amphoteric poly-(propylene) (PP), 2373
Amplified spontaneous emission, 912
Anionic polymerization, 1339
Annealing, 130, 796, 950
Antibacterial, 2373
Antibacterial activity, 997
Antioxidants, 401, 2427
Apparent activation energy, 1708
Aqueous dispersion, 880
Aramid fiber, 1113
Aromatic-aliphatic copolymer, 315
Array, 1412
Associating ionic polymers, 1404
Atactic polypropylene, 1087
Atomic force microscopy (AFM), 138, 1412
Atom transfer radical polymerization (ATRP), 189, 1106, 1215, 1418, 2123
Attapulgite, 1351
Autocatalytic model, 1688
Azacrown ether, 407

Barrier, 704, 1629
Biocompatibility, 1016, 1916
Biodegradable, 466, 603, 704, 711, 886, 1373, 1427, 1679, 1727, 1884, 2033, 2116, 2339, 2572
Biofibers, 2219
Biomaterials, 53, 731, 1373, 1451, 2042
Biopolymers, 538, 936, 1437, 1581, 2042, 2290
Black carpet beetle, 322
Blending, 500, 2290
Blend membranes, 178
Blends, 75, 494, 583, 613, 658, 736, 806, 864, 1125, 1142, 1427, 1437, 1629, 1733, 1947, 1961, 1978, 2339, 2422
Block copolymers, 102, 208, 945, 1317, 1884, 2116, 2123, 2201, 2320
Blocked catalyst, 116
Blown film, 1740
Bound rubber, 2282
Branched, 1062
Butyl rubber/TiB_2 composites, 2226

Calcification, 758
Carbon black, 2282
Carbon microtubes, 2347
Carbon nanotube, 985, 1087
Carrageenan, 255
Casein, 531
Catalysts, 29, 2027
Cavitation, 1290
CDPET, 550
Cell activity, 1916
Cellulose, 2347
Cellulose acetate, 466, 1765
Cellulose ethers, 852
Cellulose-fiber-based composites, 974
Cellulose waste, 336
Chain, 1344
Chain extension by grafting, 886
Characterization, 1565, 1822, 2394
Chemical grafting, 1916
Chiral, 58, 383
Chitosan, 407, 564, 651, 704, 1016, 1720, 1938, 2042, 2070, 2572
Chitosan–alginate polyelectrolyte complex (PEC), 538
Cholesteric phase, 329
Cholesteryl methacrylate, 58
Chromatography, 2365
Clay, 42, 146, 227, 427, 767, 1010, 1206, 1554, 1688, 1727, 1806, 1932, 2042, 2532
Clonal variation, 456
Coagulation–flocculation, 2070
Coated microballoons, 687
Coatings, 138, 484, 891, 1032, 1500, 1844, 2149, 2544
Coextrusion, 153
Cografting, 373
Collagen, 2094
Colorimetry, 1339
Compatibilization, 694, 1511, 2201
Compession, 990
Complexes, 1198
Complex supports, 1296
Composites, 22, 53, 169, 227, 336, 353, 391, 413, 484, 500, 531, 557, 639, 665, 680, 687, 957, 990, 1206, 1235, 1325, 1344, 1385, 1517, 1663, 2172, 2178, 2440, 2454
Compositional variations, 2514
Compounding, 1445
Compression, 1806
Computer modeling, 2572
Concentration effect, 2070
Condensed tannin, 2450
Conducting polymer batteries, 917
Conducting polymers, 521, 583, 917, 990, 1142, 1511, 1799, 1822, 2048, 2149, 2347, 2440
Conductive stainless steel fiber filled ABS, 1072
Conductivity, 238, 825, 2394
Conjugated polymers, 315, 434, 1412, 2048, 2440
Contact angle, 1358
Contaminants, 1879
Controlled release, 1262
Conversion of functional groups, 1524
Copolyesters, 1615
Copolymerization, 195, 222, 315, 521, 750, 997, 1157, 1781, 1822, 1909, 1932, 2461, 2467, 2481
Copolymers, 1192, 1629
Copper, 401
Core-shell polymers, 860, 1505
Creep test, 1643
Crosslinking, 88, 116, 255, 302, 362, 391, 620, 774, 818, 825, 1172, 1219, 1462, 1477, 1492, 1761, 1978, 2219, 2274, 2402, 2461, 2555
Crosslinking agent, 383
Crystallization, 208, 216, 294, 603, 613, 632, 736, 1308, 1427, 1629, 2172, 2355
Crystal structures, 550
Cure characteristics, 34, 2282
Cure kinetics, 1688
Curing, 1524
Curing and network structure, 2226
Curing of polymers, 818, 1180, 1500, 1540, 1607, 1860, 2027, 2544
Cyclopolymerization, 1404, 1548

Defatted soy flour, 353
Deformation mechanism, 957
Degradation, 466, 591, 968, 1469, 1708, 1938, 1961, 2139
Degree of deacetylation, 2070
Degree of ethoxylation, 1380

Delay time, 1969
Dendrimers, 341
Dendritic–linear polymers, 1106
Dendritic poly(benzyl ether), 1106
Density, 550, 680, 990
Deposition, 1879
Dewetting, 138
Dianhydrohexitol, 1679
Diblock polymer, 1106
Dielectric properties, 15, 53, 571, 746, 923, 936, 1860, 2017, 2064
2-Diethyl-aminoethyl–dextran, 9
Differential scanning calorimetry (DSC), 116, 1300, 1437, 1524, 1897, 1903, 2003, 2027, 2139
Diffusion, 178, 391, 1165, 1615, 2329, 2544
4,4′-Dihydroxybiphenyl, 1594
Diisocyanate route, 1781
Diphenylmethane diisocyanate, 284
Dispersions, 109, 620, 1135, 1325, 1554
Dissolution, 2450
Divinyl ether, 2094
DNA, 9, 1668, 1674
Drawing, 474, 718, 774
Drug delivery systems, 598, 731
DSC, 1186
Dyeing properties, 2373
Dynamic curing, 1393
Dynamic mechanical analysis, 1772
Dynamic-mechanical properties, 163, 2454

EAA, 1947
Efficiency, 1457
Elastic modulus, 1
Elastomers, 353, 383, 1001, 1219, 1445, 1712, 2033
Electrical properties, 1511
Electrochemistry, 521
Electromagnetic interference (EMI), 1072
Electron beam, 1262, 2094
Electron beam irradiation, 985, 1761
Electron microscopy, 484
Electrophotographic system, 825
Elongation, 2245
Emulsification curve, 1748
Emulsion polymerization, 347, 583, 812, 860, 1010, 1380, 1505, 2123
Endocrine disruptors, 1674
Enzymes, 521, 1938
Epoxidized natural rubber, 1251
Epoxy acrylate, 1180
Epoxy–aluminum interphase, 891
Epoxy resin, 880, 1036, 1081
ESCA/XPS, 2219
Esterification, 1607
Ethoxy, 1198
Ethyl, 1198
2-Ethyl hexyl acrylate, 1380
Eu, 912

EVA, 1947, 2532
Exhaustion, 1922
Extrusion, 474

Fabrics/fibers, 896
Failure mechanism, 2355
Failure zones, 673
Fastness, 1922
Ferrocene, 2394
Ferroelectricity, 2253
Ferromagneticity, 2253
Fiber orientation/distribution, 1072
Fibers, 500, 639, 665, 718, 1793, 1844, 1855, 1879, 2009, 2178, 2369
Fiber-to-fiber cohesion, 2245
Field emission scanning electron microscopy, 2253
Filled rubber compound, 2282
Fillers, 34, 413, 990, 1165, 1300, 1865, 2454
Films, 294, 466, 704, 1224
Flame retardance, 1469, 2347, 2487
Flavonoids, 322
Flexural properties, 557
Flow rheometry, 852
Fluorescence, 315
Fluoropolymers, 169, 1860, 2064, 2369
Foams, 1062
Fourier transform IR, 276, 896, 1524, 2487
Fractionation of polymers, 243
Fracture, 687, 957, 1271, 1663, 2109
Fracture surfaces, 557
Fracture toughness, 1290
Free-radical polymerization, 1462
Friedel–Crafts, 2394
FTIR, 466, 806, 936, 1055, 1186, 1393, 1540, 1838, 2329, 2422, 2508
Fullerenes, 434, 1215
Functionalization of polymers, 189, 2201, 2219

Gas permeation, 289, 1125, 1955
GC-(FID + MS), 1393
Gel permeation chromatography (GPC), 1055, 1100
Gels, 852, 1462, 1891, 1996, 2493
Glass fibers, 843
Glass transition, 746, 806, 891, 1157, 1909, 2329, 2339, 2365, 2402
Glass-transition temperature, 1524
Gloss, 116
Glycidyl amine adduct, 2461
Glycopolymers, 189
Graft copolymers, 373, 509, 896, 1050, 1186, 2157
Grafting, 997, 1457, 1652
Graft polymerization, 1457

HALS, 2157
Hardness, 620
HCI, 2450

HDPE, 1748
Heart valve, 758
Heavy metal ions, 1674
Heck reaction, 434
Heteroatom-containing polymers, 2130, 2236
High performance polyethylene fiber, 474
Hollow fiber membrane, 247
Hollow particles, 860
HP-SEC, 1393
Hybrid, 1055
Hydrogels, 255, 302, 373, 538, 731, 1092, 1572, 1581, 1720, 1927, 2253, 2493
Hydrophilic polymers, 1897, 1903
Hydrophobic, 1358
Hydrophobic association, 1404
Hydroxyalkylated cardanol–formaldehyde resin, 284
Hygrothermal aging, 780

Immiscibility, 658
Impact of polymer characteristics, 2070
Impact resistance, 427
Indentation, 620
Infrared spectroscopy, 509, 1437
Initiators, 1339, 1548, 2088, 2320
Injection molding, 289, 1969, 2300, 2473
Insect resistance, 322
Insoluble residue, 1765
Intercalation, 1572
Interfaces, 153, 449, 557, 1280, 1385, 2454
Interfacial modification, 1748
Interfacial polycondensation, 1594
Interfacial structure parameter, 2454
Interlaminar shear strength, 843
Interpenetrating polymer network, 302, 2017
Interpolymer complexes, 806
Inter-void distance, 1290
Ion exchangers, 494, 731, 1536
Ion implantation, 276
Ionomers, 1100, 1150, 1244, 1748
Ipomoea dasysperma seed gum, 1652
Irradiation, 373, 1050, 1262
Isotactic, 130
Isotactic polypropylene, 1113, 1740

Kinetic model, 1524
Kinetics, 66, 1172, 1708, 2414
Kinetics (polym.), 550, 1540, 1548, 1932, 2003

Lacquer, 1055
Latices, 1125, 1505, 1879
Leveling properties, 1922
Lignosulfonic acid, 29

Linear low-density polyethylene, 1740
Liquefaction, 1961
Liquid-crystalline polymers (LCP), 329, 694, 1712, 2467, 2473
Lithography, 15
Living polymerization, 1215, 1339
Living radical polymerization, 1418
Low grade pulps, 1765
Low shrinkage, 1697
Luminescence, 434, 912

Macrocyclic polyamine, 407
Macromolecular networks, 1036
Magnetic field, 1025
Magnetic property, 83
Magnetite, 651
Maleic anhydride, 1607
Mechanical and thermal properties, 1081
Mechanical properties, 1, 34, 284, 353, 531, 583, 613, 639, 665, 750, 1016, 1157, 1219, 1235, 1271, 1373, 1445, 1581, 1697, 1733, 1860, 2144, 2165, 2219, 2226, 2266, 2380
Melt fracture, 903
Melting point, 2314
Melt intercalation, 146
Melt processing, 1511
Melt rheology, 1947
Melt viscosity, 903
Membranes, 216, 494, 509, 598, 831, 1244, 1875, 1955, 2481
Metal-adsorption ability, 564
Metal ions sorption, 373
Metallocene poly(ethylene-octene), 903
Metal Poison, 1492
Metal-polymer complexes, 490, 525, 1536, 2572
Methyl methacrylate, 9, 1909
Micelles, 945
Michael addition, 1500
Microballoons content, 680
Microinjection machine, 1865
Microinjection molding, 1865
Micropart, 1865
Microseparated domain, 9
Microsphere structure, 1668
Microspheres, 651
Microstructure, 869, 2178, 2550
Miscibility, 658, 736, 1437, 1947, 1978, 2339
Mixing, 1978
Modeling, 153, 869, 923, 2003, 2088, 2314
Modification, 97, 227, 758, 1727, 1793, 1829
Modifications of urea–formaldehyde resins, 531
Modulus, 1001, 1344, 2493
Molding, 294
Molding conditions, 1072
Molecular dynamics, 2314
Molecular imprinting, 362
Molecular weight, 2070
Molecular weight distribution, 1100
Molecular weight distribution/molar mass distribution, 1062
Monodisperse, 860
Monomer reactivity ratios, 1897
Monomers, 88, 222, 434
Montmorillonite, 22, 1081
Mordanting agents, 322
Morphology, 294, 500, 632, 860, 1050, 1087, 1142, 1251, 1308, 1427, 1505, 1844, 1875, 2165, 2191, 2236, 2414
Multifunctional peroxides, 1393

N-alkylated disaccharide chitosan derivatives, 564
Nano-$CaCO_3$, 2563
Nanocomposite coats, 2274
Nanocomposites, 146, 427, 750, 767, 869, 985, 1010, 1081, 1087, 1119, 1150, 1224, 1229, 1325, 1554, 1572, 1688, 1727, 1875, 1932, 2009, 2042, 2058, 2329, 2521, 2532, 2563
Nanomaterial, 1865
Nanoparticles, 1793, 1884, 2116, 2266
Nanosilica, 1119, 2274
Nanostructure, 2017
Nanotechnology, 362, 1855
Natural dyes, 322
Natural resin, 557
Natural rubber, 2017
N-(4-carboxypheyl) itaconimides, 1909
Networks, 1219, 1712, 2493
Neural networks, 2088
Neutron reflectivity, 1280
Nitrile rubber, 1688
NMR, 1565, 1806
Non-rubber substances, 456
Nonwovens, 2355
N-phenyl maleimide, 1010
N-2-thiazolyl(meth)acrylamide, 83
Nucleation, 216
Nylon 1313, 1643

Oil absorption, 2080
Oil repellence, 1364
Oligomers, 169
Onium salts, 2094
Online Raman spectroscopy, 1740
Optically active, 58
Optically active poly(amide-imide-urethane), 1781
Optical property, 1215
Optics, 1224, 2369
Organic colloids, 2070
Organoclay, 780, 1229, 2009
Orientation, 474, 1615, 2300, 2473
Osteoblast, 1016, 1916
OTDR, 950
Overall thermal conversion, 1524
Oxetanes, 1697
Oxidation, 203, 401
Oxidative polymerization, 2048
Oxygen permeation, 1615

PA66, 1748
PAN, 985
Paper, 1364, 2347
Paraffin aggregates, 2101
Partial specific compressibility, 1385
Particle column, 1674
Particle nucleation, 138
Particle size distribution, 439, 812, 869, 1505, 1884, 2109
Percolation, 53
Perfluoropolyether, 1364
Persoz hardness, 163
Pervaporation, 247
Pesticide, 1262
Phase behavior, 329
Phase inversion, 247, 1358
Phase separation, 88, 1036, 1462, 2414
Phenol, 2450
Photoinitiated polymerization, 163
Photoluminescence (PL), 1412
Photophysics, 1224
Photopolymerization, 362, 1119, 1180, 1607, 1697, 2274, 2320
pH sensitivity, 255, 1720
Plasma, 838
Plasma polymerization, 896
Plastic optical fiber, 58
Ply twist, 2245
Polyacrylamide/poly(ethylene oxide) hydrogels, 1262
Polyacrylamides, 189
Poly(acrylic acid), 864
Polyacrylonitrile, 203, 1652
Polyamide 6/polypropylene nanocomposites, 780
Polyamides, 997, 1308, 1317, 1565, 1955, 2172, 2339, 2402
Polyaniline, 29, 1198, 1822, 2347
Poly(2-bromoaniline), 2048
Polybutadiene, 208, 227, 2165, 2539
Poly(butylene terephthalate), 75
Polycarbonates, 750, 1679
Poly(cholesteryl methacrylate), 58
Poly(cholesteryl methacrylate-*co*-methyl methacrylate), 58
Poly(dimethylsiloxane), 843
Polyelectrolytes, 109, 490, 1100, 1581, 2314
Polyester, 1594, 1829
Polyester-based composites, 843
Polyester blends, 1615
Polyestermide, 2467
Polyesters, 264, 603, 767, 968, 1451, 1558, 2009, 2033, 2201
Poly(ether ether ketone) (PEEK), 2380
Poly(ether ketones), 494
Polyethers, 825

Polyethersulfone, 1875
Poly(ether sulfones), 494, 1668, 1674
Poly(ethylene-*co*-vinyl alcohol), 886
Polyethylene fibers, 1761
Polyethylene glycol, 1922
Polyethylene (PE), 153, 195, 216, 401, 718, 1172, 1344, 1511, 1799, 2427
Poly(ethylene terephthalate) (PET), 75, 1615, 1629
Poly(fluoroethylene-*co*-fluoropropylene), 838
Polyfuran, 2048
Polyhydroxyalkanoate, 66
Polyimides, 15, 2064, 2139, 2521
Poly (indole-5-carboxylic acid), 917
Polyion complex, 9
Polyisoprene, 1806
Polyketones, 2394
Polylactide, 831
Poly(L-lactic acid), 886
Polymer, 83
Polymer bound Schiff base, 1536
Polymer composites materials, 974
Polymer degradation, 66
Polymer electrolyte, 238, 1206
Polymer film modified electrodes, 1192
Polymeric complex, 83
Polymeric matrix, 163
Polymeric MDI (pMDI), 449
Polymerization, 767, 864, 1235, 2088
Polymerization kinetic, 1025
Polymer–metal complex, 1192
Polymer modification, 1235
Polymer optical fiber, 912
Polymers, 1198
Polymer science, 974
Poly(methacrylic acid), 1720
Poly(methyl methacrylate), 1251, 1462
Polyolefins, 130, 1799
Poly(1,4-phenylenediamine), 2347
Poly(phenylene oxide), 1244
Polypropylene, 1, 427, 500, 2355
Polypropylene blends, 1271
Poly(propylene glycol), 284
Poly(propylene) (PP), 195, 243, 294, 413, 632, 665, 957, 1135, 1142, 1229, 1296, 1445, 1799, 2157, 2191, 2201
Polypyrroles, 1844, 2550
Polysaccharides, 538, 571, 598, 1186, 1793, 1855
Polysiloxanes, 97, 347, 880, 1477, 1712
Polystyrene, 22, 138, 1010, 1106, 1215, 1536, 2017, 2266, 2300, 2422
Polysulfone, 247
Polytetrafluoroethylene (PTFE), 838, 1308, 1317
Polyurethane dispersion, 2514
Polyurethanes, 284, 336, 620, 746, 758, 1032, 1280, 1364, 1451, 1814, 2080, 2144, 2236
Poly(vinyl alcohol), 178, 247, 276, 302, 1927
Poly(vinyl alcohol) blown film, 774
Poly(vinyl chloride) (PVC), 1385, 1469, 1891
Poly(4-vinylpyridine), 2422
Porous particles, 1668
Porous polymeric membrane, 1916
Positive charge, 9
Potential profile, 29
Pour point depressant, 2101
PP-EPDM blends, 1393
Preparation, 1668
Prepolymer method, 2514
Prism coupler, 950
Processing, 2033
Processing properties, 456
Processing-structure-property relationships, 1740
Properties, 146, 1251, 1652
Proteins, 42
Proton exchange membranes (PEM), 2380
Pseudohalogens, 1418
PU, 1206
Purified natural rubber, 456
PVDF, 1358
Pyrolysis, 2178

Quaternary ammonium, 997
Quinones, 322

Radiation, 2157, 2532
Radiation curing, 2094
Radical polymerization, 22, 509, 525, 1025, 1548, 1897, 1903, 1909, 2461
Raman spectroscopy, 2178
Reaction parameters, 2450
Reactive extrusion, 1308, 1317
Reactive processing, 1427
Reactivity ratios, 1903
Recovery test, 1643
Recycling, 791
Redox, 852
Redox polymers, 812
Refractive index, 950, 1135
Regular polyampholyte, 2101
Reinforced polymer blends, 1748
Reinforcement, 353
Relaxation, 571, 923, 1001, 2003
Renewable resources, 336, 1679, 2508
Renewable sources, 1032
Resins, 97, 264, 449, 525, 818, 891, 1540, 1607, 1961, 2003, 2544, 2555
Rheological properties, 456, 1643
Rheology, 66, 75, 439, 613, 1032, 1062, 1492, 1500, 1733, 1978, 2212, 2300
Rice husk ash (RHA), 34
Ring-opening polymerization, 102, 1558, 2130
Rubber, 34, 227, 591, 613

SAXS, 1280
SBS, 146
SBT strength, 680
Scaffolds, 1373
Scanning electron microscopy, 276, 2487
Selectivity, 178
Self-doped polymer, 917
SEM, 2521
Semi-interpenetrating polymer network (semi-IPN), 1720
Sensors, 1517, 2550
Separation factor, 247
Separation techniques, 1477
Shear, 439, 680, 687
Shear deformation, 1290
Shear-flow-induced crystallization, 1113
Shielding effectiveness (SE), 1072
Shish kebab morphology, 1113
Short beam bend test, 673
Shrinkage, 767, 1865
Silane functionality, 1036
Silica/magnesium chloride, 1296
Silicas, 1793, 2521
Silicones, 347, 1001, 1996
Silk fibroin, 864
Siloxanes, 758
Simulations, 2300
Size exclusion chromatography, 1565
Smectic phase, 329
Sodium alginate, 178
Soil burial degradation, 1679
Solid-state structure, 2236, 2290
Solution properties, 341
Sorption, 178
Sound velocity, 1385
Soy protein isolate, 1457
Soy resin, 1772
Specific interactions, 806
SPEEK, 2380
Spherulites, 603, 632
Spinodal dewetting, 1412
Spunbonding, 2355
Stability, 852
Stabilization, 591
Starch, 1351
Star polymers, 238
Statistical regression analysis, 550
Stereospecific polymers, 102, 2539
Stiffness, 427
Stimuli-sensitive polymers, 1092, 2253
Storage modulus, 1772
Strength, 718, 1317, 2245
Stripping analysis, 1192
Structure, 936
Structure–property relations, 474, 490, 869, 1050, 1844, 2080, 2130
Styrene, 1025, 2088
Styrene butadiene rubber, 2563
Substituted, 1198
Superabsorbent, 302

Superabsorbent composite, 1351
Supercritical CO_2, 22, 831, 864
Surface energy, 53
Surface modification, 896
Surface property, 1235
Surfaces, 169, 362, 718, 880, 2109, 2369
Surfactants, 711, 945
Suspension, 439
Swelling, 255, 391, 1092, 1517, 1581, 1897, 1927, 1996, 2226, 2481, 2493
Swelling agent, 1206
Swelling ratio, 302
Syntactic foam and microscopy, 673
Synthesis, 83, 88, 109, 208, 329, 341, 407, 711, 1186, 1558, 1565, 1697, 2329, 2394

TEM, 222, 985, 1280
Temperature, 950
Tensile properties, 2355
Tension, 711
Texture profile analysis, 852
TGA, 169
Thermal, 2373
Thermal behavior, 2394
Thermal bonding, 2355
Thermal degradation, 2487
Thermal properties, 603, 750, 880, 1300, 2144, 2236, 2290, 2532
Thermal stability, 1087
Thermochromic, 329
Thermodynamics, 2365, 2414
Thermogravimetric analysis (TGA), 591, 620, 968, 1025, 1903, 2467, 2487
Thermomechanical properties, 2521
Thermoplastic elastomers, 1781
Thermoplastics, 694, 2058
Thermoplastic vulcanizates, 1251
Thermosets, 818, 1663, 1860
Thermotropic liquid crystalline polymer, 1594
Tissue engineering, 1373
Titration, 1339
Toughening, 1290
Toughness, 1663
Transfection, 9
Transition metal chemistry, 490
Transition metals, 29
Transitions, 665
Trifunctional epoxy resin, 1524
Tyrosinase, 651

Uncoated microballoons, 687
UV-curable coatings, 1119
UV-curing, 1180, 2274
UV/moisture dual-curing, 1500
UV–visible, 276
UV–vis spectroscopy, 88, 2422, 2572

Valve gate, 1969
Vanillin, 1536
Vegetal fibers, 336
Vinyl acetate, 1380
Vinylester thermoset, 838
Vinyl pyrrolidone, 373
Viscoelastic properties, 1814
Viscosity, 439, 1032, 1100, 1838, 2212, 2402
Void, 1290
Volume fraction, 1492
Vulcanization, 591, 1219, 1733

Waste, 791
Water absorption, 780, 843, 1351
Water dispersible, 29
Water repellence, 1364
Water soluble, 564
Water-soluble polymers, 189, 598, 2508
Water states, 774
Wood composites, 449
Wool, 1922
Wool fabrics, 322
Wound dressing, 538
Wrinkling, 116

XPS, 2080
X-ray, 1150
X-ray diffraction, 276
XRD, 1186

Yarn helical angle, 2245
Yielding, 796

Ziegler–Natta polymerization, 1296, 2191, 2539
Zinc hydroxystannate, 1469
Zinc stannate, 1469